Author Index to Volume 47

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Adel, Arthur and V. M. Slipher. Difference bands in the spectra of the major planets—651

——— **and V. M. Slipher.** Methane content of the giant planet atmospheres—787(A)

——— **and V. M. Slipher.** Principal limit of the transmission of solar radiation by the earth's atmosphere in the far infrared—251(L)

———, **V. M. Slipher and E. F. Barker.** Absorption of sunlight by the earth's atmosphere in the remote infrared region of the spectrum—580

Agruss, M. S. (see Grosse, A. V.)—91(L), 93(L)

Albers, V. M. (see Knorr, H. V.)—329(A)

———, **H. V. Knorr and Paul Rothemund.** Fluorescence of the chlorophyll series: The reversible reduction of chlorophyll *a* and *b*—198(A)

Albertson, Walter. Arc spectrum of samarium and gadolinium. Normal electron configurations of the rare earths—370

Allen, J. S. V. and C. E. Hesthall. Intensity relations in chromium spectra—926

Allis, W. P. (see Morse, Philip M.)—806(A)

Almy, G. M. and G. D. Kinzer. Emission spectrum of diatomic arsenic—199(A), 721

Altar, Wm. Intramolecular forces between bound atoms—804(A)

Alvarez, Luis W. Artificial radioactivity induced by cosmic rays—320(L)

——— Energies of x-ray photoelectrons—636(L)

Anderson, J. A. Astronomical seeing—637(A) (Title only)

Anderson, L. C. (see Bates, John R.)—332(A) (Title only)

Anderson, O. E. (see Ballard, S. S.)—256(A) (Title only)

Anderson, Paul A. Contact difference of potential between tungsten and barium. The external work function of barium—958

Appleton, E. V. Recent measurements of upper-atmospheric ionization—89(L)

——— Seasonal variation of ionization in region F_2 of the ionosphere—704(L)

Armstrong, A. H. (see Hudson, J. C.)—809(A)

Armstrong, J. E. Magnetoresistance of liquid sodium-potassium alloy—391

——— (see Heaps, C. W.)—336(A)

Arthur, John M. (see Way, Katharine)—198(A)

Atkinson, R. d'E. Energy and angular momentum in certain optical problems—623, 639(A)

Bacher, R. F. Prediction of atomic energy states—699(A) (Title only)

——— **and R. A. Sawyer.** Isotope shift in Mg I—587

Badger, Richard M. and Charles M. Blair, Jr. Note on the band spectrum of silicon fluoride—881(L)

Balinkin, Isay A. Transverse vibrations of long rods—340(A)

Ball, T. R. Observations on the Allison magnetic-optic apparatus—548

Ballard, James W. and E. D. Wilson. On the nature of the barrier plane in the cuprous-oxide photovoltaic cell—794(A)

Ballard, S. S., O. E. Anderson and H. E. White. Fine structure and hyperfine structure of doubly ionized beryllium—256(A)

Barker, E. F. (see Adel, Arthur)—580

——— (see Bartunek, Paul F.)—330(A)

——— (see Ginsburg, Nathan)—641(A)

——— (see Migeotte, M. V.)—812(A)

——— **and Marcel Migeotte.** Low frequency double vibrations of the deutero-ammonias—702(L)

Barnes, R. Bowling. Pure rotation spectra of NH_3 and ND_3—658

——— (see Brattain, R. Robert)—793(A)

———, **W. S. Benedict and C. M. Lewis.** Far infrared absorption of benzene—129

———, **W. S. Benedict and C. M. Lewis.** Far infrared spectrum of H_2O—918

——— **and R. Robert Brattain.** Near infrared spectrum of MgO—416(L)

———, **R. Robert Brattain and R. S. Firestone.** Powder filters for the infrared—792(A)

Barr, E. S. (see Plyler, E. K.)—793(A)

Barrett, Charles S. Slip, twinning and cleavage in silicon ferrite (4.17 percent Si)—809(A)

——— X-ray diffraction and the fatigue of metals—333(A)

——— X-ray measurement of depth of cold work—338(A)

Barrows, W. M., Jr. (see Green, J. B.)—131

Bartberger, C. L. Energy levels of the rare gas configurations—803(A)

Bartlett, J. H., Jr. (see Gibbons, J. J., Jr.)—340(A), 692

——— (see Shoupp, W. E.)—705(L)

———, **J. J. Gibbons, Jr. and C. G. Dunn.** Normal helium atom—679, 804(A)

Bartlett, William W. (see Harrison, George R.)—799(A)

Barton, Henry A. (see Mueller, Donald W.)—796(A)

Bartunek, Paul F. (see Roth, Frank L.)—526

——— **and E. F. Barker.** Fundamental band of H^2CN at 17.5μ—330(A)

Bates, John R., J. O. Halford, L. C. Anderson and R. D. Swisher. Study of the deuterium exchange reaction involving acetone—332(A) (Title only)

Bazzoni, Charles B. (see McCorkle, Paul)—804(A)

Beach, J. Y. (see Pauling, Linus)—686

Beams, J. W. (see Pickels, E. G.)—336(A)

——— (see Trotter, Herbert, Jr.)—641(A)

Bearden, J. A. Refraction of the copper $K\beta$ line by a diamond prism—811(A)

——— Ruled grating measurements of x-ray wavelengths—804(A)

——— Scale of x-ray wavelengths—883(L)

Bearden, J. A. X-ray wavelengths and the electronic charge—645(A)
——— (see Shaw, C. H.)—332(A)
——— **and W. R. Kanne.** On the emission of protons by samarium—639(A)
Beasley, I. E. (see Glasser, Otto)—570(L), 789(A)
Beck, F. J., Jr. (see Clash, R. F., Jr.)—158
Beck, Guido. Energy levels of light nuclei—809(A)
——— Present state of the neutrino hypothesis—202(A)
——— **and L. H. Horsley.** Nonelastic collision cross sections for slow neutrons—510(L)
Beckwith, M. M. (see Clark, G. L.)—200(A)
Bell, M. E. (see Johnson, R. P.)—426(A)
Bell, Raymond M. (see Jeppesen, Myron A.)—546
Benade, J. M. and R. L. Doan. Apparatus for transmitting cosmic-ray data from stratosphere—198(A)
Bender, David. Raman effect of water vapor—252(L)
Benedict, W. S. Isotope effect in polyatomic molecules—699(A) (Title only)
——— Ultraviolet absorption spectra of the deutero-ammonias—641(A)
——— (see Barnes, R. Bowling)—129, 918
Bennett, Clarence E. Molar polarization of nitrogen and argon by displacement interferometry—790(A)
Bennett, Ralph D., Gordon S. Brown and Henry A. Rahmel. Frequency and magnitude of cosmic-ray bursts as a function of elevation—339(A), 437
Bennett, Willard H. Electrostatic generator with small vertical clearance—791(A)
Bethe, H. A. Atomic weights derived from nuclear transmutations—795(A)
——— Capture and scattering of neutrons—640(A)
——— Masses of light atoms from transmutation data—633(L)
——— Theory of disintegration of nuclei by neutrons—747
Beuschlein, W. L. (see McNabney, Ralph)—695
Bhagavantam, S. and A. Veerabhadra Rao. Vibrational Raman scattering in liquids—921
Bien, R. P. Study of the crystal structure of heat-treated filaments—806(A)
Bingham, Eugene C. and Charles E. Coombs. Fluidity and molecular complexity—645(A)
Birge, Raymond T. and Edwin McMillen. Value of the electronic charge—320(L)
Bitter, Francis. Relationship between the elastic and magnetic properties of metals—428(A) (Title only)
Blair, Charles M., Jr. (see Badger, Richard M.)—881(L)
Bleakney, Walker (see Hipple, J. A., Jr.)—802(A)
——— (see Smyth, H. D.)—800(A)
——— **and J. A. Hipple, Jr.** Study of oxygen isotopes—800(A)
Bloch, F. and P. A. Ross. Radiative auger effect—884(L)
Bonner, T. W. (see Brubaker, W. M.)—255(A)
——— **and W. M. Brubaker.** Energy of the neutrons from the disintegration of beryllium by deutons—254(A)
——— **and W. M. Brubaker.** Energy spectrum of the neutrons from the disintegration of beryllium by deuterons—910
——— **and W. M. Brubaker.** Evidence for the formation of $_4Be^8$ in the disintegration of lithium by deuterons—973(L)
Bouckaert, L. (see Lemaitre, G.)—434
Bowen, I. S. Low terms in the Mn V and Fe VI—924
Boyce, J. C. Spectra of argon and krypton in the extreme ultraviolet—799(A)
——— Spectra of krypton in the extreme ultraviolet—718
——— **and C. A. Rieke.** Provisional wavelength standards for the extreme ultraviolet—653
Boynton, W. P. Equations of state and thermodynamic functions for substances with variable specific heat—258(A)
Bozler, Emil (see Cole, Kenneth S.)—644(A)
Bradley, Charles A., Jr. (see McKellar, Andrew)—787(A)
——— **and Andrew McKellar.** Absorption of the acetylenes in the photographic infrared—793(A)
——— **and Andrew McKellar.** On the absorption of acetylene and di-deutero-acetylene in the photographic infrared—914
Bradley, Charles D. Cloud chamber study of the initiation of ionization in spark discharge—802(A)
——— **and L. B. Snoddy.** Ion distribution during the initial stages of spark discharge in nonuniform fields—541
Brady, James J. Formation of a potassium film on silver—197(A)
Bramley, Arthur. Validity of the applications of electrodynamics—321(L)
Brandt, W. H. (see Loomis, F. W.)—199(A)
Brattain, R. Robert (see Barnes, R. Bowling)—416(L), 792(A)
———, **R. Bowling Barnes and Frederick Seitz.** Infrared absorption spectrum of MgO—793(A)
Braun, Milton L. Coefficient of linear expansion for stretched rubber bands at room temperatures—798(A)
——— Rubber deformations caused by uniformly repeated stresses—336(A)
Breazeale, William M. Electro-optical Kerr effect in NH_3, N_2 and O_2—789(A)
Breit, G. Some applications of group theory to Dirac's relativistic theory—338(A) (Title only)
——— (see Wills, L. A.)—704(L)
——— **and F. L. Yost.** Radiative capture of protons by carbon—508(L)
Brewer, A. Keith. Abundance ratio of the isotopes of lithium—571(L)
Brice, R. T. and John Strong. Optical properties of magnesium oxide—255(A)
Brickwedde, F. G. Ortho- and para-deuterium—332(A) (Title only)
——— (see Scott, R. B.)—794(A)
——— (see Silsbee, F. B.)—794(A)
Bridgman, P. W. High pressure transitions of bismuth—427(A)
——— On the effect of slight impurities on the elastic constants, particularly the compressibility of zinc—393
Brown, Gordon S. (see Bennett, Ralph D.)—339(A), 437
Brown, Joseph G. Analysis of the diurnal variation of the Earth's potential gradient—259(A)
Brubaker, W. M. (see Bonner, T. W.)—254(A), 910, 973(L)
——— **and T. W. Bonner.** Automatic high pressure Wilson cloud chamber—255(A)

Bryan, A. L. (see Knauss, H. P.)—842
Burwell, J. T. (see Warren, B. E.)—330(A)

Cairns, J. E. I. Production of induced radioactivity by the cosmic radiation—194(L), 631(L)
Cardwell, Alvin B. Thermionic properties of tantalum—628
Carl, Howard (see Petersen, Max)—803(A)
Carman, Everett F. (see Harkins, William D.)—797(A)
Cartmel, W. B. Theoretical discussion of Professor Miller's paper on the ether drift experiments—333(A)
Challacombe, C. N. (see Kruger, P. Gerald)—509(L)
——— **and P. Gerald Kruger.** Hyperfine structure of Y II lines—798(A)
Christy, Andrew. On the band spectrum of sulfur—251(L)
Chu, T. C. (see Woo, Sho-Chow—886(L)
Clark, C. H. Douglas. Periodicity of Morse's function—238
Clark, G. L. and M. M. Beckwith. Mathematical modulus derived from x-ray data for evaluation of residual distortion in crystals—200(A)
Clash, R. F., Jr. and F. J. Beck, Jr. Directions of discontinuous changes in magnetization in monocrystal bars and disks of silicon-iron—158
Clements, J. H. On the absorption spectrum of sulphur dioxide—224
——— Temperature variation method to assist in vibrational analyses of complex molecular spectra—220
Colby, Walter F. Isotope effect in acetylene—388
Cole, Kenneth S. and Emil Bozler. Electric impedance of muscle—644(A)
Colwell, R. C. and N. I. Hall. High speed electrical motors —337(A)
Compton, Arthur H. Incoherent scattering and the concept of discrete electrons—203(A), 367
——— **and I. A. Getting.** Apparent effect of galactic rotation on the intensity of cosmic rays—817
Constant, F. Woodbridge. Variation of thermal e.m.f. with magnetization and temperature—794(A)
Cookson, John W. Theory of the piezo-resistive effect—194(L)
——— (see Osterberg, Harold)—781(L)
Coolidge, Albert Sprague (see James, Hubert M.)—700(L)
Coombs, Charles E. (see Bingham, Eugene C.)—645(A)
Coon, Edith M. and E. R. Laird. Raman effect in solutions of magnesium sulphate of varying concentrations—889(L)
Cowie, D. B. (see Swann, W. F. G.)—811(A)
Crane, H. R., L. A. Delsasso, W. A. Fowler and C. C. Lauritsen. Emission of negative electrons from boron bombarded by deuterons—887(L)
———, **L. A. Delsasso, W. A. Fowler and C. C. Lauritsen.** Gamma-rays from boron bombarded with deutons—253(A)
———, **L. A. Delsasso, W. A. Fowler and C. C. Lauritsen.** Gamma-rays from the disintegration of beryllium by deuterons and protons—782(L)
———, **L. A. Delsasso, W. A. Fowler and C. C. Lauritsen.** Emission of negative electrons from lithium and fluorine bombarded with deuterons—971(L)
——— **and C. C. Lauritsen.** Masses of Be^8, Be^9 and B^{11} as determined from transmutation data—420(L)
Crary, A. P. (see Ewing, Maurice)—797(A)
———, **Maurice Ewing and E. B. Douglas.** Propagation of elastic waves in lake ice—797(A)
Cravath, A. M. Photoelectric effect and spark mechanism—254(A)
——— **and L. B. Loeb.** Mechanism of the high velocity of propagation of lightning discharges—259(A)
Crawford, F. H. and T. Jorgensen, Jr. Band spectra of the hydrides of lithium. Part I: $Li^{(7)}D$—358; Part II: Li^7H—932
Crawford, M. F. Hyperfine structure formulae for the configuration of d^3s. Application to $5d^36s\ ^4F$ states of La I —768
——— **and Norman S. Grace.** Hyperfine structures in La III. Nuclear magnetic moment of lanthanum—536
Cross, Paul C. Analysis of the hydrogen sulfide band at 10,100A—7
Curtis, Howard J. (see Fricke, Hugo)—974(L)
Cuykendall, T. R. (see Jones, M. T.)—643(A)
——— **and M. T. Jones.** Two-crystal transmission spectrometer for ultra-short x-rays—643(A)

Danforth, W. E. and W. F. G. Swann. On the electrostatic deflection of cosmic radiation—421(L)
Darling, B. T. (see Kruger, P. Gerald)—790(A)
Davey, Wheeler P. (see Haring, W. J.)—337(A)
——— (see McCormick, W. E.)—330(A)
——— (see Waldo, P. G.)—338(A)
Davis, Hallowell. Electrical phenomena of the cochlea and the auditory nerve—338(A) (Title only)
Davisson, C. J. Electron optics—332(A) (Title only)
Delsasso, L. A. (see Crane, H. R.)—253(A), 782(L), 887(L), 971(L)
Delsasso, Leo P. and John H. Munier. Preliminary report on the experimental method of detecting anomalous dispersion of sound in air in the audible range as a function of frequency and humidity—259(A)
Deming, J. H. (see Jauncey, G. E. M.)—804(A)
Dempster, A. J. New ion source for mass-spectroscopy—331(A)
Dennison, David M. and Manfred Johnston. Interaction between vibration and rotation for symmetrical molecules—93(L)
Devol, Lee. Metastable nuclei produced by the hard gamma-rays from radium B+C—325(A)
DeVore, Lloyd T. Connecting link between classical electromagnetic theory and wave mechanics via a derivation of the Schrödinger equations as a boundary value problem on the atom—333(A)
——— Correlation between electromagnetic theory and wave mechanics—638(A)
Dieke, G. H. Class of perturbations of molecular levels—870
——— On isotopic shifts in the spectra of diatomic molecules—661
——— Use of deuterium in spectroscopic investigations of molecules—332(A) (Title only)
——— **and R. W. Blue.** Fulcher bands of HD and D_2—261
Doan, Gilbert E. and William C. Schulte. Arcs in inert gases—III—783(L)

Doan, R. L. (see Benade, J. M.)—198(A)
Dolecek, R. L. Discussion of Fermi's theory of the beta-decay—202(A)
Dorsey, Herbert Grove. Shoal fathometer—334(A)
Douglas, E. B. (see Crary, A. P.)—797(A)
——— (see Ewing, Maurice)—797(A)
Duffendack, O. S. (see Emeleus, K. G.)—460
——— (see Manley, J. H.)—56
——— (see Smith, R. W.)—473
Duffin, Richard J. Virial theorem and quantum statistics—421(L)
Dufford, R. T. Evidence from Raman effect for a slight asymmetry of the carbon atom—199(A)
——— (see Emberson, Richard M.)—202(A)
——— (see Skaggs, Lester S.)—201(A)
Dull, Raymond B. Note on the spectrum of boron fluoride—458
Duncan, A. B. F. Ultraviolet absorption spectrum of ammonia—822
——— Ultraviolet absorption spectrum of ND_3—886(L)
Dunn, C. G. (see Bartlett, J. H., Jr.)—679, 804(A)
——— (see Shoupp, W. E.)—705(L)
Dunning, J. R. (see Pegram, G. B.)—325(A)
——— **and G. B. Pegram.** Absorption and scattering of slow neutrons—640(A)
———, **G. B. Pegram and G. A. Fink.** Capture, stability and radioactive emission of neutrons—325(A)
———, **G. B. Pegram, G. A. Fink and D. P. Mitchell.** Absorption and velocity of slow neutrons—796(A)
———, **G. B. Pegram, G. A. Fink and D. P. Mitchell.** Interaction of low energy neutrons with atomic nuclei—416(L)
———, **G. B. Pegram, G. A. Fink and D. P. Mitchell.** Slow neutrons—970(L)
———, **G. B. Pegram, D. P. Mitchell and G. A. Fink.** Thermal equilibrium of slow neutrons—888(L)
Dunnington, Frank G. Precision magnetic field standard—257(A)
Duveneck, F. B. (see Webster, D. L.)—699
Duwez, Pol. On the plasticity of crystals—494

Earls, Lester T. and Ralph A. Sawyer. Classification of the first spark spectrum of lead: Pb II—115
Eaton, William W. Collisions of alpha-particles with neon nuclei—796(A)
——— (see Pollard, Ernest)—597
——— **and Ernest Pollard.** Proportional (Geiger-Klemperer) nuclear particle counter, and attempts to detect deuterons from two favorable reactions—640(A)
Eckart, Carl. Some studies concerning rotating axes and polyatomic molecules—552
Edwards, Hiram W. High speed oil diffusion pump—259(A)
——— Null method photoelectric photometer—258(A)
Einstein, A., B. Podolsky and N. Rosen. Can quantum-mechanical description of physical reality be considered complete?—777
Ellis, Cecil and Ralph A. Sawyer. Extension of the thallium II spectrum—799(A)
Ellis, Joseph W. and Joseph Kaplan. Polarization effects in the Hilger E1 quartz spectrograph—255(A)
Emberson, Richard M. and R. T. Dufford. Search for a photomagnetic effect—202(A)
Emeleus, K. G. and O. S. Duffendack. Spectral and impact phenomena in the Faraday dark space—460
Epstein, Paul S. Propagation of micro-radio waves—258(A)
Evans, Robley D. (see Livingston, M. Stanley)—795(A)
———, **Gladys D. Finney, Arthur F. Kip and Raymond Mugele.** New methods for the detection of minute quantities of thorium in common materials—791(A)
——— **and R. A. Mugele.** Gamma-ray sensitivity of tube-counters and the measurement of the thorium content of rocks—427(A)
Ewing, Maurice (see Crary, A. P.)—797(A)
———, **A. P. Crary and E. B. Douglas.** Dispersion in flexural waves in lake ice—797(A)

Failla, G. Simple device for producing very small unidirectional currents—805(A)
Farnsworth, H. E. Depth of penetration of electrons diffracted by single crystals—331(A)
Farwell, H. W. and J. B. Hawkes. Time lags in magneto-optics—78
Fearon, Robert E. Electrical conductance of short cold-metal gaps in air—802(A)
Feenberg, Eugene. Neutron-proton interaction. Part I. The binding energies of the hydrogen and helium isotopes—809(A), 850; Part II. The scattering of neutrons by protons—857
——— On the Born-Infeld field theory of the electron—148
Fink, G. A. (see Dunning, J. R.)—325(A), 416(L), 796(A), 888(L), 970(L)
Finney, Gladys D. (see Evans, Robley D.)—791(A)
Firestone, R. S. (see Barnes, R. Bowling)—792(A)
Flowers, J. W. Oscillographic study of overvolted discharges—801(A)
Forsythe, W. E. Color temperature scale of the Nela Laboratories—789(A)
Foster, J. S. Interpretation of anomalous Stark intensities—329(A)
——— **and A. H. Snell.** Stark effect in the hydrogen isotopes—338(A)
Fowler, W. A. (see Crane, H. R.)—253(A), 782(L), 887(L), 971(L)
Fox, Gerald W. and Walter A. Fraser. X-ray extinction in piezoelectrically oscillating crystals—200(A), 899
Fox, M. (see Millman, S.)—801(A)
———, **S. Millman and I. I. Rabi.** Nuclear spin and magnetic moment of Li^7—801(A)
Frank, N. H. Effect of pressure on the electrical conductivities of the alkalies—282
Fraser, Walter A. (see Fox, Gerald W.)—200(A), 899
Freed, Simon and Harry G. Thode. Magnetic study of the metallic state and the Fermi-Dirac statistics—335(A)
Fricke, Hugo and Howard J. Curtis. Dielectric constant and resistance of colloidal solution—974(L)
Frost, A. A. and O. Oldenberg. Spectroscopic investigation of chemical reactions of OH in the electric discharge—788(A)
Fussler, Karl H. (see Ruark, Arthur E.)—790(A)

Gagge, A. P. Annual and diurnal variations of ions in urban communities—786(A)
Galli-Shohat, N. Huygen's principle and the Lorentz contraction hypothesis—639(A)
Gamow, G. Problems of beta-disintegration—428(A) (Title only)
Gans, David M. (see Harkins, William D.)—52, 511(L)
——— **and William D. Harkins.** Nuclear chemistry and the scattering of protons in collisions with neutrons—795(A)
Getting, I. A. (see Compton, Arthur H.)—817
Giauque, W. F. and D. P. MacDougall. Thermodynamic temperature scale in the region below 1° Absolute—885(L)
Gibbons, J. J., Jr. (see Bartlett, J. H., Jr.)—679, 804(A)
——— **and J. H. Bartlett, Jr.** Magnetic moment of the K^{39} nucleus—340(A), 692
Gibbs, R. C. Interferometric studies of alpha-lines of hydrogen and deuterium—332(A) (Title only)
Gilbert, W. P. Extension of the Rh I-like isoelectronic sequence to the spectrum of Ag III—803(A)
——— Some higher terms in the spectrum of Ag II—847
Gilliland, T. R. (see Kirby, S. S.)—632(L)
Gingrich, N. S. and Ralph Hultgren. Fourier analyses of x-ray patterns of phosphorus—808(A)
Ginsburg, Nathan and E. F. Barker. Infrared absorption spectrum of methyl deuteride—641(A)
Glasser, Otto and I. E. Beasley. Effect of visible light upon the ultraviolet fluorescence of various compounds previously irradiated with Roentgen or gamma-rays—789(A)
——— **and I. E. Beasley.** Induced ultraviolet fluorescence and its release by visible light—570(L)
Glockler, George and Charles E. Morrell. Symmetric C–D bond vibration in heavy acetylene—569(L)
Goetz, Alexander. Phenomenon of supercooling—257(A)
——— (see Jacobs, Robert B.)—94(L), 257(A)
Goldberg, Leo (see Menzel, Donald H.)—424(L)
Goslin, Roy (see Hughes, Gordon)—317(L)
Goss, Wilbur H. (see Henderson, Joseph E.)—259(A)
Grace, Norman S. (see Crawford, M. F.)—536
——— (see Spedding, Frank H.)—38
Granath, L. P. Measurement of nuclear magnetic moments from hyperfine structure data—699(A) (Title only)
——— (see Stranathan, R. K.)—801(A)
Gray, J. A. and J. F. Hinds. Diffusion of radioactive atoms—813(A)
Green, J. B. and W. M. Barrows, Jr. Zeeman effect of the spectra of arsenic—131
Griggs, H. P. (see Reardon, A. J.)—199(A)
Grosse, A. V. (see Pierce, W. C.)—432
——— **and M. S. Agruss.** Fermi proton effect—91(L)
——— **and M. S. Agruss.** Gamma-ray neutrons and the Fermi proton effect—93(L)
Gunn, Ross. Electricity of rain and thunderstorms—786(A)
Gurney, R. W. Theory of electrical double layers in adsorbed films—479

Hafstad, L. R. and M. A. Tuve. Induced radioactivity using carbon targets—506(L)
——— **and M. A. Tuve.** Resonance transmutations by protons—506(L)
Haines, C. L. Characteristics of Geiger-Müller counters filled with different gases—791(A)
Halford, J. O. (see Bates, John R.)—332(A) (Title only)
Hall, Leo G. On the low temperature diffusion of solid aluminum into iron—418(L)
Hall, N. I. (see Colwell, R. C.)—337(A)
Ham, W. R. Equations for diffusion of gases through metals—645(A)
——— (see Sauter, J. D.)—645(A)
——— **and J. D. Sauter.** Diffusion of hydrogen through iron and palladium—337(A)
Hansen, W. W. New type of expansion in radiation problems—139
——— (see Webster, D. L.)—699
Hardy, J. D. and Carl Muschenheim. Diffuse infrared transmission of solids—789(A)
Haring, W. J. and Wheeler P. Davey. Expansion of copper from absolute zero to its melting point—337(A)
Harkins, William D. Nuclear reactions and their classification by atomic and isotopic numbers—702(L)
——— (see Gans, David M.)—795(A)
———, **Everett F. Carman and Herman E. Ries, Jr.** Surface pressures and potentials of monomolecular films of long molecules: Hydroxy-decanoic acid polymers—797(A)
———, **David M. Gans and Henry W. Newson.** Disintegration of the nuclei of light atoms by neutrons. II. Neon, fluorine and carbon—52
———, **David M. Gans, Martin Kamen and Henry W. Newson.** Scattering of protons in collisions with neutrons—511(L)
Harnwell, G. P. (see Smyth, H. D.)—800(A)
Harrison, George R. and William W. Bartlett. Wavelength measurements in the spectra of the neodymium arc and the standard Pfund iron arc—799(A)
Hawkes, J. B. (see Farwell, H. W.)—78
Heaps, C. W. and J. E. Armstrong. Magnetoresistance in sodium-potassium alloy—336(A)
Hector, L. G. (see Schultz, H. L.)—327(A)
——— **and H. L. Schultz.** Measurement of the dielectric constant of air at radiofrequencies—327(A)
Henderson, Joseph E., Wilbur H. Goss and John E. Rose. Comparison of the rotary voltmeter and the sphere gap up to 830 kilovolts—259(A)
Henderson, Malcolm C. (see Lawrence, Ernest O.)—254(A), 273
Henry, D. E. (see Rentschler, H. C.)—807(A)
Hesthal, C. E. (see Allen, J. S. V.)—926
Hickman, Roger W. and Frederick V. Hunt. Exact measurement of electron tube coefficients—787(A)
Hinds, J. F. (see Gray, J. A.)—813(A)
Hipple, J. A., Jr. (see Bleakney, Walker)—800(A)
——— **and Walker Bleakney.** Products of ionization in methane—802(A)
Hirsh, F. R., Jr. and F. K. Richtmyer. Comments on the Coster-Kronig theory of a new type of Auger effect—805(A)

Hoffmann, Banesh. Gravitational and electromagnetic mass in the Born-Infeld electrodynamics—804(A), 877
——— Spherically symmetric field in the Born-Infeld theory—639(A)
Holmes, R. M. and L. C. Whitman. Temperature effects on photo-voltaic current and e.m.f. of a selenium monocrystal platinum film combination—337(A)
Hopfield, John J. Extension of the absorption spectrum of the hydrogen molecule—788(A)
Horsley, L. H. (see Beck, G.)—519(L)
Houston, William V. Forces between nuclear particles—260(A)
——— Nuclear model—819(A), 942
Howe, J. D. (see Lark-Horovitz, K.)—331(A)
——— **and E. M. Purcell.** New method of making extremely thin films—329(A)
Hudson, J. C., H. G. Vogt and A. H. Armstrong. New lines in the *K* series spectrum of tungsten—809(A)
Huffman, John R. (see Vance, John E.)—215
Hughes, A. L. Physics at Washington University—197(A) (Title only)
Hughes, Gordon and Roy Goslin. Photography of minima in magneto-optic apparatus—317(L)
Hulburt, E. O. Concerning the ionosphere—422(L)
Hultgren, Ralph (see Gingrich, N. S.)—808(A)
——— **and B. E. Warren.** Crystal structure of black phosphorus—808(A)
Humphreys. C. J. Third spectrum of krypton—712, 799(A)
Hunt, Frederick V. (see Hickman, Roger W.)—787(A)
Hutchisson, E. Effect of electrostatic field upon rate of vaporization—328(A)

Ide, John. Measurement of Young's modulus in rocks by a new dynamical method—797(A)
Inglis, D. R. Magnetic moments of the deuton and other nuclei—334(A)
——— On nuclear moments—84
——— Nuclear states and moments—813(A)

Jacobs, Robert B. and Alexander Goetz. Intensities of x-ray reflection from Bi crystals between 25° and 530° Abs.—257(A)
——— **and Alexander Goetz.** Temperature function of x-ray reflection in the neighborhood of the melting point of a crystal—94(L)
Jacobson, M. G. New balanced circuit for resistance thermometers, combustible gas indicators, etc.—336(A)
James, Hubert M. and Albert Sprague Coolidge. Hylleraas method applied to lithium—700(L)
Jauncey, G. E. M. Diffuse scattering of x-rays by crystals—201(A)
——— **and J. H. Deming.** Extra negative term in the incoherent part of the diffuse scattering from neon-like crystals—804(A)
Jenkins, F. A. Alternating intensities in the spectrum of P_2—783(L)
——— **and L. A. Strait.** Spectrum of AsO—136, 257(A)
Jeppesen, Myron A. and Raymond M. Bell. Objective study of the Allison magneto-optic method of analysis—546
Johnson, R. P., M. E. Bell and W. B. Nottingham. Vacuum tube amplifier for thermocouple e.m.f.—426(A)
Johnson, Thomas H. Evidence for a positron-negatron component of the primary cosmic radiation—318(L), 642(A)
——— North-south asymmetry of the cosmic radiation—326(A)
——— North-south asymmetry of the cosmic radiation in Mexico—91(L)
——— (see Stevenson, E. C.)—578
Johnston, H. L. Chemical separation of the isotopes of hydrogen—332(A) (Title only)
Johnston, Manfred (see Dennison, David M.)—93(L)
Jones, M. T. (see Cuykendall, T. R.)—643(A)
——— **and T. R. Cuykendall.** Absorption of x-rays in the wavelength range 50 X.U. to 200 X.U.—643(A)
Jordan, Edward B. Probability of collision for slow H^+, $(H^1H^1)^+$, $(H^1H^2)^+$, $(H^2H^2)^+$, $(H^3)^+$ and He^+ ions in argon—467
Jorgensen, T., Jr. (see Crawford, F. H.)—358, 932
Judson, E. B. Ionosphere studies—509(L)
——— (see Kirby, S. S.)—632(L)

Kamen, Martin (see Harkins, William D.)—511(L)
Kanne, W. R. (see Bearden, J. A.)—639(A)
Kaplan, Joseph. Light of the night sky—193(L)
——— New band systems in nitrogen—255(A)
——— New system of nitrogen bands—259(A)
——— (see Ellis, Joseph W.)—255(A)
Kemble, E. C. Contribution to the theory of the W.B.K. method—426(A)
——— Correlation of wave functions with the states of physical systems—973(L)
Kennedy, Roy J. Constancy of the velocity of light—533
——— Simplified theory of the Michelson-Morley experiment—965
Kernaghan, Marie. Surface tension of mercury in the presence of gases. I. Dry air—202(A)
Kimball, George E. Electronic structure of diamond—810(A)
King, Aruthur S. Experimental features of the spectrum of samarium—256(A)
King, Paul B., Jr. and Harry Rowe Mimno. Recording of ionosphere echoes at non-vertical incidence—786(A)
King, Ronold. New type radio transmitter for short waves—787(A)
Kinzer, G. D. (see Almy, G. M.)—199(A), 721
Kip, Arthur F. (see Evans, Robley D.)—791(A)
Kirby, S. S., T. R. Gilliland and E. B. Judson. Ionosphere studies during partial solar eclipse—632(L)
Knauss, H. P. (see Strong, Herbert M.)—642(A)
——— **and A. L. Bryan.** Spectral characteristics of electrically exploded mercury—842
Knipp, Charles T. Liquefaction of gases—a demonstration—200(A)
Knipp, Julian K. On the Zeeman effect in diatomic molecular states having *L*-uncoupling—672, 803(A)
——— Wave mechanical treatment of the LiH molecule—339(A)
Knorr. H. V. (see Albers, V. M.)—198(A)

Knorr, H. V. and V. M. Albers. Fluorescence of the chlorophyll series: Fluorescence and photodecomposition in solutions of pheophorbide *b* and methyl pheophorbide *b* —329(A)
Knudsen, Vern O. Absorption of sound in gases—338(A) (Title only)
——— **and Leonard Obert.** Transfer of translational and vibrational energy in oxygen as influenced by small impurities of water or ammonia vapor—256(A)
Koch, W. R. Electrical method for the non-destructive testing of sodium-filled valves—326(A)
Kock, Winston E. Inductive glow discharge oscillator—339(A)
——— On the principle of uncertainty in sound—339(A)
Koller, L. R. Sputtering of thorium and barium from tungsten—806(A)
Kolthoff, I. M. and Charles Rosenblum. Mechanism of the aging of freshly prepared lead sulfate crystals—631(L)
Konopinsky, E. J. and G. E. Uhlenbeck. On the comparison with experiment of the Fermi theory of beta-ray disintegration—202(A)
Koontz, Philip G. Band spectra of beryllium deuteride—641(A)
Kruger, P. Gerald. Nuclear shells: Angular and magnetic momenta of nuclei—605
——— (see Challacombe, C. N.)—798(A)
——— (see Weissberg, S. G.)—798(A)
——— **and C. N. Challacombe.** Hyperfine structure of Y II lines—509(L)
——— **and B. T. Darling.** Hollow cathode as an ion source —790(A)
Krutter, Harry M. Electronic structure of copper—810(A)
——— Thomas-Fermi method in metals—426(A)
——— (see Slater, J. C.)—559
Kuper, J. B. H. (see Turner, Louis A.)—813(A)
Kurie, Franz N. D. Disintegration of nitrogen by neutrons —97, 253(A)
——— (see Richardson, J. R.)—253(A)
———, **J. R. Richardson and H. C. Paxton.** Energies of the beta-rays and positrons emitted by various artificially produced radioactive substances—796(A)

Ladenburg, R. Distribution of atmospheric ozone—637(A) (Title only)
Laird, E. R. (see Coon, Edith M.)—889(L)
Lamar, E. S. (see Morse, Philip M.)—806(A)
——— **and E. W. Samson.** High current ion source—791(A)
Lane, C. T. Size and arrangement of bismuth microcrystals formed from vapor—644(A)
Langer, R. M. Foucault pendulum with constant amplitude —258(A)
Langmuir, David B. Contact potential of thoriated tungsten —328(A)
——— Temperature variation of contact potential—813(A)
Langseth, A. and J. Rud Nielsen. Raman spectra of N_3^-, NCS^- and CO_3—198(A)
Lark-Horovitz, K. and E. P. Miller. X-ray diffraction pattern of liquid and solid glycerine films—813(A)
———, **H. J. Yearian and J. D. Howe.** Intensity distribution in electron diffraction patterns—331(A)
Larking, Chas. R. Use of thermionic vacuum tubes for voltage control—793(A)
Latimer, W. M. (see Libby, W. F.)—193(L), 424(L)
Lauritsen, C. C. (see Crane, H. R.)—253(A), 420(L), 782(L), 887(L), 971(L)
Lawrence, Ernest O. Transmutations of sodium by deutons —17
——— (see McMillan, Edwin)—254(A), 343
———, **Edwin McMillan and Malcolm C. Henderson.** Transmutations of nitrogen by deutons—254(A), 273
LeGalley, Donald P. X-ray intensity measurements with a Geiger-Müller counter, and the determination of the structure factor for KCl—333(A)
Lemaitre, G., M. S. Vallarta and L. Bouckaert. On the north-south asymmetry of cosmic radiation—434
Letner, H. R. and G. W. Stewart. Comparison by x-ray diffraction of *p*-azoxyanisol in liquid and liquid crystalline phases—332(A)
Lewis, C. M. (see Barnes, R. Bowling)—129, 918
Libby, W. F. and W. M. Latimer. Absorption and scattering of neutrons—193(L)
———, **E. A. Long and W. M. Latimer.** Action of neutrons on heavy water—424(L)
Lindsay, R. B. (see Wilson, W. S.)—638(A), 681
Linford, Leo H. Emission of electrons by swiftly moving mercury ions—279
Lipson, Harry C. and Allan C. G. Mitchell. Quenching of cadmium resonance radiation (3261) by hydrogen—638(A)
——— **and Allan C. G. Mitchell.** Quenching of cadmium resonance radiation (3261) by N_2, CO and CH_4—807(A)
Livingston, M. Stanley (see McMillan, Edwin)—452
——— **and Robley D. Evans.** Correlation of nuclear disintegration processes—795(A)
Locher, G. L. Construction and use of Geiger-Müller counters—326(A)
——— (see Swann, W. F. G.)—326(A)
Loeb, L. B. (see Cravath, A. M.)—259(A)
Long, E. A. (see Libby, W. F.)—424(L)
Loomis, F. W. and W. H. Brandt. Band spectrum of OH^+—199(A)
Loughridge, Donald H. Theories of ion condensation—792(A)
——— (see Young, R. W.)—258(A)
Lozier, W. W. (see Smyth, H. D.)—800(A)
Luhr, Overton. Triatomic ions in mixtures of the hydrogen isotopes—331(A)
Lyons, W. James. Behavior of the absorption band of uranine solution under high pressure—198(A)

MacDougall, D. P. (see Giauque, W. F.)—885(L)
Mack, J. E. (see Whitelaw, N. G.)—677
MacPherson, H. G. Investigation of the magneto-optic method of chemical analysis—254(A), 310
Manley, J. H. and O. S. Duffendack. Collisions of the second kind between magnesium and neon—56
Margenau, Henry. Natural width of the $K\alpha$-lines—89(L)
——— (see Pollard, E.)—571(L), 795(A), 833
——— **and Ernest Pollard.** Alpha-particle scattering by deuterons and protons—640(A)

Marvin, H. H. Deep configurations of cobalt—521
Mason, R. C. Accommodation coefficient of mercury ions on a mercury surface—241
Maxfield, Frederick A. (see Ruark, Arthur Edward)—107
Maxwell, Louis R. and V. M. Mosley. Electron diffraction by transmission through thin silica glass films—330(A)
McAlister, E. D. Christiansen light filters—328(A)
McCorkle, Paul and Charles B. Bazzoni. Effect of target temperature on the wavelengths of soft x-rays from metals—804(A)
McCormick, W. E. and Wheeler P. Davey. Glassy state of arsenic—330(A)
McKellar, Andrew (see Bradley, Charles A., Jr.)—793(A), 914
——— **and Charles A. Bradley, Jr.** Spectrum of carbon deuteride—787(A)
McMillan, Edwin M. Production of x-radiation by very fast electrons—801(A)
——— (see Birge, Raymond T.)—320(L)
——— (see Lawrence, Ernest O.)—254(A), 273
——— **and Ernest O. Lawrence.** Transmutations of aluminum by deutons—254(A), 343
——— **and M. Stanley Livingston.** Artificial radioactivity produced by the deuteron bombardment of nitrogen—452
McNabney, Ralph, Wells Moulton and W. L. Beuschlein. Dielectric constants of air and hydrogen at high pressures —695
McNish, A. G. and G. R. Wait. Variation of small-ion production near the earth's surface—785(A)
Menzel, Donald H. and Leo Goldberg. New method for calculating relative multiplet strengths in a transition array—424(L)
Michels, Walter C. and Barbara Raines. Rotating coil alternating-current potentiometer—793(A)
——— **and Gladys White.** Heat losses from a tungsten wire in helium—197(A)
Migeotte, Marcel V. (see Barker, E. F.)—702(L)
——— **and E. F. Barker.** Resolution of the ND_3 bands at 13.5μ—812(A)
Miller, E. P. (see Lark-Horovitz, K.)—813(A)
Miller, Franklin, Jr. Simplification of Prins' formula for diffraction of x-rays by a perfect crystal—201(A), 209
Millikan, Robert A. and H. Victor Neher. Equatorial longitude effect in cosmic rays—205
Millman, J. Electronic energy bands in metallic lithium —286
Millman, Sidney. On the nuclear spins and magnetic moments of the principle isotopes of potassium—739
——— (see Fox, M.)—801(A)
———, **M. Fox and I. I. Rabi.** On the nuclear spin and magnetic moment of K^{41}—801(A)
Mimno, Harry Rowe (see King, Paul B., Jr.)—786(A)
——— (see Selvidge, H.)—786(A)
Mitchell, Allan C. G. (see Lipson, Harry C.)—638(A), 807(A)
——— **and Edgar J. Murphy.** Scattering of neutrons—881(L)
——— **and Edgar J. Murphy.** Qualitative experiment on scattering of neutrons—812(A)
Mitchell, D. P. (see Dunning, J. R.)—416(L), 796(A), 888(L), 970(L)
Mohler, Fred L. (see Taylor, Lauriston S.)—805(A)
Montgomery, C. G. (see Montgomery, D. D.)—339(A)
——— **and D. D. Montgomery.** Variation with altitude of the production of bursts of cosmic-ray ionization—429
———, **D. D. Montgomery and W. F. G. Swann.** Enhancement of cosmic-ray nuclear bursts by the presence of subsidiary material—512(L), 642(A)
Montgomery, D. D. (see Montgomery, C. G.)—429, 512(L), 642(A)
——— **and C. G. Montgomery.** Production of cosmic-ray showers by lead at different elevations—339(A)
Mooney, R. C. L. Crystal structure of ammonium chlorobromoiodide—807(A)
More, Kenneth R. Nuclear magnetic moment of cobalt—256(A)
Morgan, Frank (see Shawhan, E. N.)—199(A), 377
——— **and E. N. Shawhan.** Band spectrum of arsenic oxide (AsO)—192(L)
Morningstar, O. (see Warren, B. E.)—808(A)
Morrell, Charles E. (see Glockler, George)—569(L)
Morse, Philip M., W. P. Allis and E. S. Lamar. Velocity distribution of electrons in gas discharge problems—806(A)
Mosley, V. M. (see Maxwell, Louis R.)—330(A)
Moulton, Wells (see McNabney, Ralph)—695
Mouzon, J. C. and Newell H. Smith. Ionization of neon and argon by singly charged magnesium ions—802(A)
Mueller, Donald W. and Henry A. Barton. Neutron effects in a photographic emulsion—796(A)
Mueller, George J. Production of very small electric currents—793(A)
Mueller, Hans. Properties of Rochelle salt—175
——— Theory of photoelasticity—790(A)
——— Theory of the photoelastic effect of cubic crystals —947
Mugele, R. A. (see Evans, Robley D.)—427(A), 791(A)
Mulliken, Robert S. Structure, ionization and ultraviolet spectra of methyl iodide and other molecules—413
Munier, John H. (see Delsasso, Leo P.)—259(A)
Murphy, Edgar J. (see Mitchell, Allan C. G.)—812(A); 881(L)
Muschenheim, Carl (see Hardy, J. D.)—789(A)

Nathanson, J. B. and H. S. Seifert. Optical properties of sputtered metal films—328(A)
Neher, H. Victor. East-west and longitude effects—417(L)
——— (see Millikan, Robert A.)—205
von Neumann, J. Representations and ray representations in quantum mechanics—338(A) (Title only)
Newson, Henry W. (see Harkins, William D.)—52, 511(L)
Nickerson, J. L. Some bands in the extreme ultraviolet spectrum of helium—707
Nielsen, Alvin H. and Harald H. Nielsen. Infrared spectrum and molecular constants of hydrogen iodide—585
Nielsen, Harald H. (see Nielsen, Alvin H.)—585
——— (see Steward, Wendell B.)—792(A), 828
Nielsen, J. Rud (see Langseth, A.)—198(A)

Nix, Foster C. Loss and restoration of photoconductivity in red mercuric iodide—72, 337(A)
Nordheim, Gertrud. Orbital valency according to an extended Heitler-London method—803(A)
Nordheim, L. W. Free path and thermoelectric effects—794(A)
——— Production of pairs by collisions of particles—646(A)
Nottingham, W. B. Thermionic emission from tungsten with weak accelerating fields—806(A)
——— (see Johnson, R. P.)—426(A)
Null, F. E. Mean kinetic energy and mean energy spent in excitation by electrons drifting through dense gases—301

Obert, Leonard (see Knudsen, Vern O.)—256(A)
O'Brien, Brian. Introduction—637(A) (Title only)
Oldenberg, O. (see Frost, A. A.)—788(A)
Oppenheimer, J. R. Are the formulae for the absorption of high energy radiations valid?—44
——— Disintegration of the deuteron by impact—845
——— Note on charge and field fluctuations—144
——— Note on the production of pairs by charged particles—146
Osterberg, Harold and John W. Cookson. Electrocoupling of vibrating quartz plates—781(L)

Parker, Alice H. (see Parker, Allan E.)—812(A)
Parker, Allan E. Band systems of MgCl, CaCl and SrCl—349, 642(A)
——— **and Alice H. Parker.** Band system of TiCl—812(A)
Parratt, Lyman G. Precision x-ray wavelength measurements—882(L)
——— **and Lloyd P. Smith.** X-ray line widths: Correction for finite resolving power of crystals—805(A)
Paton, R. F. Proton emission resulting from alpha-ray bombardment of boron and phosphorus—197(A)
Patterson, A. L. Determination of the components of interatomic distances in crystals—330(A)
Paul, Fred W. Atomic absorption spectra of the rare earths—799(A)
Pauling, Linus and J. Y. Beach. Van der Waals interaction of hydrogen atoms—686
Paxton, H. C. (see Kurie, Franz N. D.)—796(A)
Pearson, G. L. Shot effect and thermal agitation in an electron current limited by space charge—327(A)
Pegram, G. B. (see Dunning, J. R.)—325(A), 416(L), 640(A), 796(A), 888(L), 970(L)
——— **and J. R. Dunning.** Electrolytic separation of polonium and Ra D—325(A)
Petersen, Max and Howard Carl. Spectra of helium by high frequency excitation—803(A)
Pfund, A. H. and J. A. Sanderson. Diffraction gratings for use in the far infrared—792(A)
Phillips, C. J. Raman spectra and the latent heat of fusion of nonassociated substances—792(A)
Pickels, E. G. Vacuum centrifuge—797(A)
——— **and J. W. Beams.** High rotational speeds in vacuum—336(A)
Pickering, W. H. Note on the production of cosmic-ray showers—423(L)
Pierce, W. C. and A. V. Grosse. *M* series of element 91—protactinium—532
Pietenpol, W. B. Proposed mass spectrograph—331(A)
——— (see Westerfield, E. C.)—325(A)
Pike, Eugene W. New measurements on the lifetimes of excited states in neon—802(A)
——— Observations on the Townsend discharge in neon—811(A)
Plyler, E. K. and E. S. Barr. Infrared absorption spectra of acetic acid and acetic anhydride—793(A)
Podolsky, B. (see Einstein, A.)—777
Poindexter, Franklin E. Effect of pressure on the refractive index of carbon disulfide—202(A)
Pollard, Ernest. Heights of nuclear potential barriers—640(A)
——— Nuclear potential barriers: Experiment and theory—611
——— (see Eaton, William W.)—640(A)
——— (see Margenau, Henry)—640(A)
——— **and William W. Eaton.** Disintegration of nitrogen and boron and possible emission of deuterons—597
——— **and Henry Margenau.** Collisions of alpha-particles in deuterium—833
——— **and Henry Margenau.** Interaction between deuterons and alpha-particles—795(A)
——— **and Henry Margenau.** Resonance interaction between deuterons and alpha-particles—571(L)
Pool, M. L. (see Whitmer, C. A.)—795(A)
Poritsky, H. and C. G. Suits. Sound velocity in gas mixtures at high temperatures—335(A)
Posin, D. Q. Townsend coefficients in nitrogen—258(A)
Posnov, M. V. (see Schulwas-Sorokin, R. D.)—166
Present, R. D. and J. H. Van Vleck. On the intensity formulas for $^3\Sigma^+ - {}^3\Sigma^-$ transitions in band spectra—788(A)
Price, W. C. Absorption spectra of acetylene, ethylene and ethane in the far ultraviolet—444
——— Far ultraviolet absorption spectra and ionization potentials of H_2S, CS_2 and SO_2—788(A)
——— Far ultraviolet absorption spectra and ionization potentials of methyl bromide and chloride—510(L)
——— Far ultraviolet absorption spectrum of methyl iodide—419(L)
Purcell, E. M. (see Howe, J. D.)—329(A)

Quarles, L. R. Relation between field emission and work function of liquid mercury—328(A)

Rabi, I. I. Determination of the sign of nuclear magnetic moments by the method of atomic beams—338(A)
——— Nuclear moments from molecular beams—699(A) (Title only)
——— Nuclear spin in isotopic mixtures—334(A)
——— (see Fox, M.)—801(A)
——— (see Millman, S.)—801(A)
——— (see Rosin, S.)—645(A)
Rahmel, Henry A. (see Bennett, Ralph D.)—339(A), 437
Raines, Barbara (see Michels, Walter C.)—793(A)
Ramberg, E. and F. K. Richtmyer. Auger effect for Au (79) and the origin of certain *L*-satellites in x-ray spectra—805(A)

Ramberg, E. and F. K. Richtmyer. Calculation of the x-ray energy level widths of Au (79)—644(A)
Randall, R. H. and Harold W. Webb. Electron temperatures in mercury vapor afterglow—638(A)
Rank, D. H. (see Wood, R. W.)—792(A)
Rao, A. Veerabhadra (see Bhagavantam, S.)—921
Rayton, W. (see Wilkins, T. R.)—812(A)
Read, G. E. (see Sears, J. F.)—197(A)
Reardon, A. J. and H. P. Griggs. Solarization at low intensity—199(A)
Rentschler, H. C. and D. E. Henry. Photoelectric threshold of uranium, calcium and thorium treated with limited amounts of oxygen—807(A)
Rice, O. K. On the Stokes phenomenon for the differential equations which arise in the problem of inelastic atomic collisions—426(A)
Richardson, J. R. (see Kurie, Franz N. D.)—796(A)
——— **and Franz N. D. Kurie.** Energy of the neutrons emitted from beryllium when bombarded by deutons—253(A)
Richtmyer, F. K. (see Hirsh, F. R., Jr.)—805(A)
——— (see Ramberg, E.)—644(A), 105(A)
Ridenour, Louis N., K. Shinohara and Don M. Yost. Disintegration of beryllium by photons and its possible bearing on the mass of Be^8—318(L)
———, **D. M. Yost and K. Shinohara.** Chemical identification of the radioactive element produced from carbon by deuton bombardment—253(A)
Rieke, C. A. (see Boyce, J. C.)—653
Rieke, Foster F. Transfer of rotational energy—788(A)
Ries, Herman E., Jr. (see Harkins, William D.)—797(A)
Risser, J. H. (see Turner, Louis A.)—813(A)
Robinson, Howard A. Spectra of phosphorus, P II, P III, P IV—799(A)
Rodebush, W. H. Liquid state—513(L)
Roller, Duane (see Townes, Edith)—197(A)
Rose, Albert. Dependence on applied field of thermionic constants for thoriated tungsten—806(A)
——— Temperature coefficient of the work function for composite surfaces—889(L)
Rose, John E. (see Henderson, Joseph E.)—259(A)
Rose, John L. Hyperfine structure of singly ionized lead—122
Rose, Morris E. (see Roy, Angus S.)—335(A)
——— **and George E. Uhlenbeck.** Formation of electron pairs by internal conversion of gamma-radiation—811(A)
Rosen, N. (see Einstein, A.)—777
Rosenblum, Charles (see Kolthoff, I. M.)—631(L)
Rosenthal, Jenny E. Vibrations of symmetrical tetratomic molecules—235
Rosin, S. Scattering of alkali atoms in various gases—798(A)
——— **and I. I. Rabi.** Scattering of potassium and sodium atoms in various gases—645(A)
Ross, P. A. (see Bloch, F.)—884(L)
Roth, Frank L. and Paul F. Bartunek. Zeeman effect in the arc spectrum of cobalt—526
Rothemund, Paul (see Albers, V. M.)—198(A)
Roy, Angus S. and Morris E. Rose. Rotational dispersion of sound in hydrogen—335(A)
Ruark, Arthur Edward. X-ray wavelength scales—316(L), 644(A)
——— (see Warfield, Calvin N.)—700(L)
——— **and Karl H. Fussler.** Half-lives of potassium, rubidium, neodymium and samarium—790(A)
——— **and Frederick A. Maxfield.** X-ray levels of radioactive elements with applications to beta and gamma-ray spectra—107

St. Helens, H. (see Wilkins, T. R.)—812(A)
Samson, E. W. (see Lamar, E. S.)—791(A)
Sanderson, J. A. (see Pfund, A. H.)—792(A)
Sauter, J. D. (see Ham, W. R.)—337(A)
——— **and W. R. Ham.** Diffusion of hydrogen through highly degassed palladium—645(A)
Sawyer, J. H., Jr. Secondary and tertiary particles produced by cosmic rays—515
——— Shower producing cosmic-ray primaries—635(L)
Sawyer, Ralph A. (see Bacher, R. F.)—587
——— (see Earls, Lester T.)—115
——— (see Ellis, Cecil)—799(A)
Schiff, L. I. and L. H. Thomas. Quantum theory of metallic reflection—790(A), 860
Schneider, Edwin G. Optical properties of lithium fluoride in the Schumann region—789(A)
Schoepfle, G. K. Spectra of lead IV and bismuth V—232, 330(A)
Schriever, William. Space charge in a conducting electrolyte—327(A)
Schulte, William C. (see Doan, Gilbert E.)—783(L)
Schultz, H. L. (see Hector, L. G.)—327(A)
——— **and L. G. Hector.** On the use of radio broadcast carriers for constant high frequency currents—327(A)
Schulwas-Sorokin, R. D. and M. V. Posnov. Time of relaxation in crystals of Rochelle salt—166
Scott, R. B. (see Silsbee, F. B.)—794(A)
———, **F. B. Silsbee and F. G. Brickwedde.** Establishment and destruction of superconductivity at radiofrequency—794(A)
Sears, J. F. and G. E. Read. Study of the electrical characteristics of Geiger-Müller tubes using a cathode-ray oscillograph—197(A)
Seifert, H. S. (see Nathanson, J. B.)—328(A)
Seitz, Frederick. On the reduction of space groups—810(A)
——— Theoretical binding properties of metallic lithium—344(A)
——— Theoretical constitution of metallic lithium—400
——— (see Brattain, R. Robert)—793(A)
Selvidge, H. and Harry Rowe Mimno. Mobile radio research laboratory—786(A)
Shane, C. D. (see Spedding, Frank H.)—38
——— **and Frank H. Spedding.** Spectroscopic determination of e/m—33
Shaw, C. H. and J. A. Bearden. Shapes and wavelengths of K series x-ray lines—332(A)
Shawhan, E. N. (see Morgan, Frank)—192(L)
——— **and Frank Morgan.** Absorption spectrum of lead oxide—377

Shawhan, E. N. and Frank Morgan. Band spectrum of arsenic oxide and lead oxide—199(A)
Shenstone, A. G. Hyperfine structure of the cadmium resonance line—317(L)
Shinohara, Ken'ichi. Note on the diffraction of cathode rays by single crystals—730
——— (see Ridenour, L. N.)—253(A), 318(L)
Shnidman, L. S. (see Wilkins, T. R.)—251(L)
Shortley, George H. Line strengths in intermediate coupling—295; addition—419(L)
Shoupp, W. E., J. H. Bartlett, Jr. and C. G. Dunn. Magnetic moment of the Na^{23} nucleus—705(L)
Silsbee, F. B. (see Scott, R. B.)—794(A)
———, **F. G. Brickwedde and R. B. Scott.** New phenomenon in the superconducting transition of tin and tantalum—794(A)
Simard, G. L. and B. E. Warren. X-ray analysis of amorphous rubber—808(A)
Skaggs, Lester S. and R. T. Dufford. Index of refraction of water and paraffin at high frequencies—201(A)
Skinner, Selby M. Efficiency of the tuber counter—791(A)
Slater, J. C. and H. M. Krutter. Thomas-Fermi method for metals—559
Slipher, V. M. (see Adel, Arthur)—251(L), 580, 651, 787(A)
Sloan, David H. Radiofrequency high voltage generator—62
Smith, Lloyd P. On x-ray line shapes and the double crystal spectrometer—333(A)
——— (see Parratt, Lyman G.)—805(A)
Smith, Newbern. Diffraction of electrons by thin films of iron oxides and hydrates—803(A)
Smith, Newell H. (see Mouzon, J. C.)—802(A)
Smith, R. W. and O. S. Duffendack. Conductivity produced in neon and helium by irradiation with their own resonance radiations and the effect of foreign gases on this conductivity—473
Smith, Sinclair. F 1 quartz spectrograph—257(A)
Smyth, H. D., G. P. Harnwell, W. Bleakney and W. W. Lozier. Production of helium of mass three?—800(A)
Snell, A. H. (see Foster, J. S.)—338(A)
Snoddy, L. B. (see Bradley, Charles D.)—541
Soller, Walter and A. J. Thompson. Crystal structure of cuprous ferrite—644(A)
Solomon, Arthur K. On the nuclear radius—249(L)
Spedding, Frank H. (see Shane, C. D.)—33
———, **C. D. Shane and Norman S. Grace.** Fine structure of $H\alpha$—38
Stephens, W. E. Elastic scattering of fast electrons in mercury and agreement with Mott's theory—255(A)
Stern, Otto. Magnetic moment of the deuton—332(A) (Title only)
Stevenson, E. C. (see Street, J. C.)—891
——— **and Thomas H. Johnson.** Coincidence counter studies of the variation of intensities of cosmic-ray showers and vertical rays with barometric pressure—578
——— **and J. C. Street.** Nature of the penetrating cosmic radiation at sea level—643(A)
Steward, Wendell B. and Harald H. Nielsen. Infrared absorption spectrum of silane—792(A), 828
Stewart, G. W. Study of the nature of liquids by means of x-ray diffraction—201(A)
——— (see Letner, H. R.)—332(A)
Strait, L. A. (see Jenkins, F. A.)—136, 257(A)
Stranathan, J. D. On the peculiarities of dielectric constant *versus* pressure curves for vapors—794(A)
Stranathan, R. K. and L. P. Granath. Hyperfine structure and nuclear magnetic moment of caesium—801(A)
Street, J. C. (see Stevenson, E. C.)—643(A)
——— (see Woodward, R. H.)—643(A), 800(A)
———, **R. H. Woodward and E. C. Stevenson.** Absorption of cosmic-ray electrons—891
——— **and R. T. Young.** Shower groups in the cosmic radiation—572(L)
Strong, Herbert M. and H. P. Knauss. Bands of BF excited by the electrodeless discharge—642(A)
Strong, John and E. Gaviola. Spectrum of aluminum vapor emitted by a tungsten coil in vacuum—256(A)
——— (see Brice, R. T.)—255(A)
Studer, F. J. and W. D. Williams. Hall effect in sodium, potassium and caesium—291, 336(A)
Suits, C. G. Optical observations of sound waves in arcs—335(A)
——— Welding arcs in argon—975(L)
——— (see Poritsky, H.)—335(A)
Swann, W. F. G. Corpuscular theory of the cosmic rays—800(A)
——— Nature of the cosmic radiation—575
——— Origin of the hardening of cosmic rays in passing through matter—250(L)
——— (see Danforth, W. E.)—421(L)
——— (see Montgomery, C. G.)—512(L), 642(A)
——— **and D. B. Cowie.** Effect of cosmic-ray energy upon Stoss production—811(A)
——— **and G. L. Locher.** Measurements of the angular distribution of cosmic-ray intensities in the stratosphere with Geiger-Müller counters—326(A)
Swisher, R. J. (see Bates, John R.)—332(A) (Title only)
Synge, J. L. Angular momentum, mass-center and the inverse square law in special relativity—760

Taylor, D. D. Modified Aston-type mass spectrometer and some preliminary results—666
Taylor, H. S. Deuterium and reaction kinetics—332(A) (Title only)
Taylor, Lauriston S. and Fred L. Mohler. Ionization of liquids by x-rays—805(A)
Thatcher, Everett W. Multiple space charge in double and triple grid tubes—327(A)
Thode, Harry G. (see Freed, Simon)—335(A)
Thomas, L. H. Interaction between a neutron and a proton and the structure of H^3—810(A), 903
——— (see Schiff, L. I.)—790(A), 860
Thompson, A. J. (see Soller, Walter)—644(A)
Thompson, L. Propagation of explosion condensation through air—811(A)
Throop, Charlotte G. (see Wick, Frances G.)—329(A)
Throop, George R. Wayman Crow, Founder of Washington University—197(A) (Title only)
Tonks, Lewi. Anchored mercury pool cathode spot—638(A)

Tonks, Lewi. Force at the anchored cathode spot—807(A)
——— Momentum of ions leaving a region of ionization—621
Torrey, H. C. Viscosity of deuterium—644(A)
Townes, Edith and Duane Roller. Electrical resistance of cadmium films—197(A)
Townsend, Agnes. Change in thermal energy which accompanies a change in magnetization of nickel—306, 335(A)
Trotter, Herbert, Jr. and J. W. Beams. Acceleration of electrons to high energies—641(A)
Turner, Louis A. Stepwise fluorescence in mercury vapor; the 3650 line—807(A)
———, **J. B. H. Kuper and J. H. Risser.** Simple circuit for counting pulses at high speed—813(A)
Tuve, M. A. Nuclear reactions produced by high-speed deutons—332(A) (Title only)
——— (see Hafstad, L. R.)—506(L)
Tyndall, E. P. T. Note on the probable values of the elastic constants of the zinc crystal—398

Ufford, C. W. Relative transition probabilities for almost closed shells—330(A), 931
Uhlenbeck, George E. (see Konopinski, E. J.)—202(A)
——— (see Rose, Morris E.)—811(A)
Underwood, Newton. Photoelectric properties of the (100) and (111) faces of a single copper crystal—502
Urey, H. C. Methods of separation of isotopes—699(A) (Title only)

Valasek, Joseph. Effect of chemical combination on the $K\beta_1$ lines of sulphur, chlorine and potassium—896
——— X-ray spectra and chemical combination—332(A)
Vallarta, M. S. On the longitude effect of cosmic radiation—647, 800(A)
——— (see Lemaitre, G.)—434
Vance, John E. and John R. Huffman. Ultraviolet absorption band of Li_2—215
Van den Akker, J. A. Electrostatic pendulum—199(A)
Van Vleck, J. H. Rotational energy of polyatomic molecules—487
——— Some applications of group theory to nonrelativistic problems—338(A) (Title only)
——— (see Present, R. D.)—788(A)
Varney, Robert N. Ionization of inert gases by positive alkali ions—255(A), 483
Vinti, J. P. (see Witmer, E. E.)—538
Vogt, H. G. (see Hudson, J. C.)—809(A)

Wait, G. R. Distinction between Langevin ions and dust-particles in the atmosphere—786(A)
——— Ionization balance of the atmosphere near the earth's surface—810(A)
——— (see McNish, A. G.)—785(A)
Waldo, P. G. and Wheeler P. Davey. Technique for making sound ingots for density determination—338(A)
Walke, H. J. Helium content of beryls—969(L)
Warfield, Calvin N. Analysis of the data on radioactivity induced by neutron bombardment—796(A)
——— **and Arthur E. Ruark.** Analysis of data on radioactivity induced by neutron bombardment—700(L)
Warren, B. E. (see Hultgren, Ralph)—808(A)
——— (see Simard, G. L.)—808(A)
——— **and J. T. Burwell.** Structure of rhombic sulphur—330(A)
——— **and O. Morningstar.** X-ray analysis of vitreous B_2O_3—808(A)
Warren, Dana T. Ultraviolet absorption of iodine vapor—1
——— Ultraviolet I_2 fluorescence—642(A)
Wataghin, Gleb. Thermal equilibrium of elementary particles—423(L)
Watson, William W. Band spectra of barium hydride at 10,000A—213
——— Comparison of the spectra of CaH and CaD—27
Way Katherine and John M. Arthur. Spectrographic determination of calcium in plant ashes—198(A)
Webb, Glenn M. Elastic scattering of electrons in argon and krypton—379
——— Elastic scattering of electrons in argon, krypton and hydrogen—200(A)
——— Elastic scattering of electrons in molecular hydrogen—384
Webb, Harold W. (see Randall, R. H.)—638(A)
Weber, Ernst. Failure of Ohm's law at high current densities—327(A)
Webster, D. L., W. W. Hansen and F. B. Duveneck. Errata: Ionization area of He and Bethe's theory—699
Weissberg, S. G. and P. Gerald Kruger. Deep terms in ions of the isoelectronic sequence Cl I to Mn IX—798(A)
Wells, D. A. Longitudinal motion of a long coil spring suspended vertically from a rigid support—339(A)
Wells, W. H. Scattering of protons on protons—591
Wente, E. C. Some new instruments of acoustical research—338(A) (Title only)
Westerfield, E. C. and W. B. Pietenpol. Nuclear structure and the negative proton—325(A)
White, Gladys (see Michels, Walter C.)—197(A)
White, H. E. (see Ballard, S. S.)—256(A)
White, Milton G. Collisions of high energy protons in hydrogen—573(L)
White, W. P. Heat-flow calorimetric method—797(A)
Whitelaw, N. G. and J. E. Mack. On perturbed series, especially in C III, B I and O IV—677
Whitman, L. C. (see Holmes, R. M.)—337(A)
Whitmer, C. A. and M. L. Pool. Low voltage disintegration of lithium with lithium—795(A)
Wick, Frances G. and Charlotte G. Throop. Luminescence of frozen solutions of certain dyes—329(A)
Wigner, E. Symmetry relations in various physical problems—338(A) (Title only)
Wilhelmy, Ernst. Width of the $K\alpha$-lines from gaseous krypton—322(L)
Wilkins, T. R., W. Rayton and H. St. Helens. High frequency parallel rod method for the determination of alpha-ray speeds—812(A)
———, **W. Rayton and H. St. Helens.** Some alpha-ray and proton tracks in photographic emulsions—812(A)
——— **and L. S. Shnidman.** Isotopes in induced radioactivity—251(L)

Williams, Clarke. Erratum: Thermal expansion and the ferromagnetic change in volume of nickel—88
Williams, E. J. High energy formulae—569(L)
Williams, S. R. Need of physicists to study the problem of hardness and its measurements—427(A)
Williams, W. D. (see Studer, F. J.)—291, 336(A)
Wills, L. A. and G. Breit. Nuclear magnetic moment of Na^{22}—704(L)
Wilson, E. D. (see Ballard, James W.)—794(A)
Wilson, Thomas A. Crystal structure of beta-manganese —332(A)
Wilson, W. S. and R. B. Lindsay. Approximate atomic wave functions for some excited states of helium—638(A)
——— **and R. B. Lindsay.** Atomic wave functions for some excited states of helium—681
Witmer, Enos E. Energy levels of the asymmetrical rotator in the new quantum theory—340(A)
——— **and J. P. Vinti.** Symmetry properties and the identity of similar particles—538
Wold, P. I. Equation of a wave in a medium with velocity a function of time—333(A), 735
——— On the redward shift of spectral lines of nebulae —217
Wollan, E. O. Scattering of x-rays by gases—201(A)
Woo, Sho-Chow and T. C. Chu. Ultraviolet absorption bands of diacetylene—886(L)
Wood, Lawrence A. Current-voltage relations in blocking layer photo-cells—337(A)
Wood, R. W. Anomalous intensity distribution in spectra given by certain ruled diffraction gratings—642(A)
——— Some unusual optical problems—332(A) (Title only)
——— **and D. H. Rank.** Complete Raman spectrum of heavy chloroform—792(A)
Woodward, R. H. (see Street, J. C.)—891
——— **and J. C. Street.** Absorption of cosmic-ray electrons in lead—643(A)
——— **and J. C. Street.** Production and absorption of cosmic-ray showers—800(A)
Woolard, Edgar W. Geometrical theory of halos—637(A) (Title only)
Wulf, Oliver R. Light absorption in the atmosphere and its photochemistry—638(A) (Title only)
Wylie, C. C. Rate of fall of meteoric material on the earth —192(L)

Yearian, H. J. Intensity distribution in electron diffraction patterns of ZnO and atom factor—200(A)
——— (see Lark-Horovitz, K.)—331(A)
Yost, D. M. (see Ridenour, L. N.)—253(A), 318(L)
Yost, F. L. (see Breit, G.)—508(L)
Young, Lloyd A. Interaction of nuclear particles—809(A), 972(L)
Young, R. T. (see Street, J. C.)—572(L)
Young, R. W. and D. H. Loughridge. Relative measurement of the standing wave system in a mechanically blown flute tube—258(A)

Zachariasen, W. H. Note on the scattering of x-rays from fluids containing polyatomic molecules—277
——— Structure of liquid methyl alcohol—201(A)
——— Structure of radicals in crystals—201(A)
Zeleny, John. Role of surface instability in electrical discharges from drops of alcohol and water in air at atmospheric pressure—638(A)
Zener, Clarence. Hall coefficients of alkali metals—636(L)
——— Modification of the Heitler and London method—334(A)
——— Theories of the spectral selective photoelectric effect—15

Analytic Subject Index to Volume 47

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Absorption coefficient (see also **X-ray, absorption**; **Collision diameter**)
Of high energy radiation, A. Bramley—321(L); J. R. Oppenheimer—44; E. J. Williams—569(L)

Absorption of light (see also **Spectra, absorption**)
Absorption of sunlight by earth's atmosphere in infrared, A. Adel, V. M. Slipher, E. F. Barker—251(L), 580
Infrared transmission of solids, J. D. Hardy, C. Muschenheim—789(A)

Accommodation coefficient
Force at cathode spot, L. Tonks—807(A), 638(A)
Geometry of electrode as a factor, L. Tonks—621
Of He and W wire, W. C. Michels, G. White—197(A)
Of Hg ions on Hg surface, R. C. Mason—241

Acoustics
Dispersion of sound in air, L. P. Delsasso, J. H. Munier—259(A)
Dispersion of sound in H_2, A. S. Roy, M. E. Rose—335(A)
Standing wave system in a flute, R. W. Young, D. H. Loughridge—258(A)
Transfer of translational and vibrational energy in O_2, V. O. Knudsen, L. Obert—256(A)
Uncertainty principle in sound, W. E. Kock—539(A)
Velocity in gas mixtures at high temperatures, H. Poritsky, C. G. Suits—335(A)
Velocity of sound waves in arcs, C. G. Suits—335(A)
Waves in lake ice, A. P. Crary, M. Ewing, E. B. Douglas—797(A)

Afterglow
Electron temperatures in Hg vapor, R. H. Kandall, H. W. Webb—638(A)

Arcs (see **Discharge of electricity in gases**)

Astrophysics
Absorption of sunlight by earth's atmosphere in infrared, A. Adel, V. M. Slipher, E. F. Barker—251(L), 580
Constancy of the velocity of light, R. J. Kennedy—533
Difference bands in spectra of major planets, temperature of planets, A. Adel, V. M. Slipher—651
Diurnal variation of the earth's potential gradient, J. G. Brown—259(A)
Galactic rotation and intensity of cosmic rays, A. H. Compton, I. A. Getting—817
Light of the night sky, J. Kaplan—193(L)
Methane content of giant planet atmospheres, A. Adel, V. M. Slipher—787(A)
Rate of fall of meteoric material, C. C. Wylie—192(L)
Redward shift of nebulae lines, P. I. Wold—217

Atmospheric electricity (see **Meteorology**)

Atomic and molecular beams
Scattering of alkali atoms, S. Rosin—798(A); S. Rosin, I. I. Rabi—645(A)
Sign of nuclear magnetic moments, I. I. Rabi—338(A)

Atomic structure (see **Spectra, atomic**)

Barkhausen effect (see **Magnetic properties**)

Biophysics
Electric impedance of muscle, K. S. Cole, E. Bozler—644(A)
Fluorescence of pheophorbide *b* and methyl pheophorbide *b*, H. V. Knorr, V. M. Albers—329(A)
Infrared transmission of solids, J. D. Hardy, C. Muschenheim—789(A)
Reduction of chlorophyll *a* and *b*, V. M. Albers, H. V. Knorr, P. Rothemund—198(A)
Spectrographic determination of Ca in plant ashes, K. Way, J. M. Arthur—198(A)

Cold emission (see **Field currents**)

Collision diameter (see also **Scattering of electrons**; **Disintegration of nucleus**)
High energy protons in H_2, M. G. White—573(L)
Scattering of alkali atoms in gases, S. Rosin, I. I. Rabi—645(A); S. Rosin—798(A)
Scattering of α-particles in D_2O, E. Pollard, H. Margenau—833
Scattering of protons on protons, W. H. Wells—591

Collisions of second kind
Between Mg and Ne, J. H. Manley, O. S. Duffendack—56

Conductivity, electrical (see **Electrical conductivity**; **Discharge of electricity in gases**)

Constants, physical, standards
Electronic charge, R. T. Birge, E. McMillan—320(L)
Electronic charge and x-ray wavelengths, L. Alvarez—636(L); J. A. Bearden—645(A), 804(A); A. E. Ruark—316(L), 644(A)

Contact potential
Between W and Ba, P. A. Anderson—958
Temperature variation of, D. B. Langmuir—813(A)
Of thoriated W, D. B. Langmuir—328(A)

Cosmic radiation
Absorption of electrons, J. C. Street, R. H. Woodward, E. C. Stevenson—643(A), 891
Absorption of high energy radiation, A. Bramley—321(L); J. R. Oppenheimer—44; E. J. Williams—569(L)
Angular distribution in stratosphere, W. F. G. Swann, G. L. Locher—326(A)
Apparatus for transmitting data from stratosphere, J. M. Benade, R. L. Doan—198(A)
East-west and longitude effects, H. V. Neher—417(L)
Electrostatic deflection, W. E. Danforth, Jr., W. F. G. Swann—421(L)
Energy, and Stoss production, W. F. G. Swann, D. B. Cowie—811(A)
Enhancement of nuclear bursts, secondary, tertiary, C. G. Montgomery, D. D. Montgomery, W. F. G. Swann—512(L), 642(A)

Hardening of rays in passing through matter, W. F. G. Swann—250(L)
Intensity and galactic rotation, A. H. Compton, I. A. Getting—817
Longitude effect, R. A. Millikan, H. V. Neher—205; M. S. Vallarta—647, 800(A)
Nature of radiation, W. F. G. Swann—575, 800(A)
Nature of radiation at sea level, E. C. Stevenson, J. C. Street—643(A)
North-south asymmetry, T. H. Johnson—91(L), 326(A); G. Lemaitre, M. S. Vallarta, L. Bouckaert—434
Pairs produced by collisions of particles, L. Nordheim—646(A)
Positron-negatron component in primary radiation, T. H. Johnson—318(L), 642(A)
Secondary and tertiary particles, J. H. Sawyer, Jr.—515
Shower groups, J. C. Street, R. T. Young—572(L); R. H. Woodward, J. C. Street—800(A)
Shower producing primaries, J. H. Sawyer, Jr.—635(L)
Showers as a function of altitude, R. D. Bennett, G. S. Brown, H. A. Rahmel—339(A), 437; D. D. Montgomery, C. G. Montgomery—339(A), 429
Showers produced under water, W. H. Pickering—423(L)
Variation of showers and vertical rays with barometric pressure, E. C. Stevenson, T. H. Johnson—578

Crystalline state
Aging of freshly prepared $PbSO_4$ crystals, I. M. Kolthoff, C. Rosenblum—631(L)
Bi microcrystals formed from vapor, C. T. Lane—644(A)
Cd films on glass, E. Townes, D. Roller—197(A)
Cleavage in silicon ferrite, C. S. Barrett—809(A)
Constitution of metallic Li, F. Seitz—334(A), 400
Depth of cold work, C. S. Barrett—338(A)
Diffraction of x-rays by a perfect crystal, F. Miller, Jr.—201(A), 209
Diffuse scattering of x-rays, G. E. M. Jauncey—201(A)
Diffusion of gases through metals, W. R. Ham—645(A); J. D. Sauter, W. R. Ham—337(A), 645(A)
Diffusion of solid Al into Fe, L. G. Hall—418(L)
Elastic constants of the Zn crystal, E. P. T. Tyndall—398
Electron diffraction by thin silica glass films, L. R. Maxwell, V. M. Mosley—330(A)
Electronic structure of Cu, H. M. Krutter—810(A)
Electronic structure of diamond, G. E. Kimball—810(A)
Expansion of Cu from 0°K to melting, W. J. Haring, W. P. Davey—337(A)
Glassy state of As, W. E. McCormick, W. P. Davey—330(A)
Hardness and its measurements, S. R. Williams—427(A)
Heat-treated W filaments, R. P. Bien—806(A)
High pressure transitions of Bi, P. W. Bridgman—427(A)
Penetration of diffracted electrons, H. E. Farnsworth—331(A)
Photoelastic effect of cubic crystals, H. Mueller—642(A), 947
Photoelectric properties of a Cu single crystal, N. Underwood—502
Piezo-resistive effect, J. W. Cookson—194(L)
Plasticity of crystals, P. Duwez—494
K films on Ag, J. J. Brady—197(A)
Rochelle salt, correlation of various properties, H. Mueller—175
Rochelle salt under constant electric field and mechanical stress; relaxation time, R. D. Schulwas-Sorokin, M. V. Posnov—166
Slight impurities and elastic constants, P. W. Bridgman—393
Sound ingots, technique for making, P. G. Waldo, W. P. Davey—338(A)
Structure of radicals in crystals, W. H. Zachariasen—201(A)
Supercooling; paracrystalline mesophase, A. Goetz—257(A)
Thomas-Fermi method applied to metals, H. M. Krutter—426(A); J. C. Slater, H. M. Krutter—559
X-ray data and distortion in crystals, G. L. Clark, M. M. Beckwith—200(A)
X-ray diffraction and fatigue of metals, C. S. Barrett—333(A)
X-ray extinction in oscillating crystals, G. W. Fox, W. A. Fraser—899
X-ray extinction in piezoelectric crystals, G. W. Fox, W. A. Fraser—200(A)
X-ray reflection from Bi crystals 25° to 530°Abs., R. B. Jacobs, A. Goetz—94(L), 257(A)

Crystals, structure
Of ammonium chlorobromoiodide, R. C. L. Mooney—807(A)
Analysis of amorphous rubber, G. L. Simard, B. E. Warren—808(A)
Analysis of vitreous B_2O_3, B. E. Warren, O. Morningstar—808(A)
Of β-manganese, T. A. Wilson—332(A)
Of black P, R. Hultgren, B. E. Warren—808(A)
Of cuprous ferrite, W. Soller, A. J. Thompson—644(A)
Determination of interatomic distances, A. L. Patterson—330(A)
Fourier analyses of P pattern, N. S. Gingrich, R. Hultgren—808(A)
Heat-treated W filaments, R. P. Bien—806(A)
P-azoxyanisol in liquid and liquid crystalline phases, H. R. Letner, G. W. Stewart—332(A)
Reduction of space groups, F. Seitz—810(A)
Of rhombic S, B. E. Warren, J. T. Burwell—330(A)

Dielectrics and dielectric properties
Of air and H_2 at high pressures, R. McNabney, W. Moulton, W. L. Beuschlein—695
Of colloidal solutions, H. Fricke, H. J. Curtis—974(L)
Dielectric constant of air at radiofrequencies, L. G. Hector, H. L. Schultz—327(A)
Dielectric constant *versus* pressure curves for vapors, J. D. Stranathan—794(A)

Diffraction of electrons (see **Electron diffraction**)

Diffusion
Of gases through metals, equations, W. R. Ham—645(A); J. D. Sauter, W. R. Ham—337(A), 645(A)
Of solid Al into Fe, L. G. Hall—418(L)

Discharge of electricity in gases (see also **Electrons in gases; Spark discharge**)
Anchored Hg pool cathode spot, L. Tonks—638(A), 807(A)
Arcs in inert gases, G. E. Doan, W. C. Schulte—783(L); C. G. Suits—975(L)
Chemical reactions of OH in discharge, A. A. Frost, O. Oldenberg—788(A)
Conductivity produced in Ne and He by resonance radiations, R. W. Smith, O. S. Duffendack—473
Ion distribution during initial stages of spark, C. D. Bradley, L. B. Snoddy—541; C. D. Bradley—802(A)
Kinetic energy of electrons,—energy of excitation, F. E. Null—301
Lifetimes of excited states in Ne, E. W. Pike—802(A)
Hg vapor afterglow, R. H. Randall, H. W. Webb—638(A)
Momentum of ions, L. Tonks—621
Phenomena in Faraday dark space, K. G. Emeleus, O. S. Duffendack—460
Surface instability; discharge from drops, J. Zeleny—638(A)
Townsend coefficients in N_2, D. Q. Posin—258(A)
Townsend discharge in Ne, E. W. Pike—811(A)
Velocity distribution of electrons, P. M. Morse, W. P. Allis, E. S. Lamar—806(A)
Velocity of sound waves in arcs, C. G. Suits—335(A)

Discharge of electricity in high vacuum (see also **Thermionic emission; High voltage tubes and machines**)
Shot effect and thermal agitation, in space charge limited current, G. L. Pearson—327(A)
Space charge in double and triple grid tubes, E. W. Thatcher—327(A)

Disintegration of nucleus (see also **Nucleus; Radioactivity**)
Of Al by deuterons, E. McMillan, E. O. Lawrence—254(A), 343
Of Be, γ-rays, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—782(L)
Of Be by photons, L. N. Ridenour, K. Shinohara, D. M. Yost—318(L)
Of Be by deuterons, emission of electrons, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—887(L)
Of C, Ne and F by neutrons, W. D. Harkins, D. M. Gans, H. W. Newson—52
Correlation of disintegration processes, M. S. Livingston, R. D. Evans—795(A)
Disintegration of deuterons by impact, J. R. Oppenheimer—845
Emission of neutrons, J. R. Dunning, G. B. Pegram, G. A. Fink—325(A)
Energy distribution of neutrons from Be, T. W. Bonner, W. M. Brubaker—910
Fermi proton effect, A. V. Grosse, M. S. Agruss—91(L), 93(L)
He in beryls, H. J. Walke—969(L)
Of Li and Cd by slow neutrons, J. R. Dunning, G. B. Pegram, D. P. Mitchell, G. A. Fink—970(L)
Of Li and formation of $_4Be^8$, T. W. Bonner, W. M. Brubaker—973(L)
Of Li and LiOH; low voltage, C. A. Whitmer, M. L. Pool—795(A)
Of Ne, with α-particles, W. W. Eaton—796(A)
By neutrons, theory of, H. A. Bethe—640(A), 747
Of N and B, E. Pollard, W. W. Eaton—597
Of N by deuterons, F. N. D. Kurie—97, 253(A); E. O. Lawrence, E. McMillan, M. C. Henderson—254(A), 273; E. McMillan, M. S. Livingston—452
Proton emission from α-ray bombardment of B and P, R. F. Paton—197(A)
Radiative capture of protons, G. Breit, F. L. Yost—508(L); L. R. Hafstad, M. A. Tuve—507(L)
Resonance interaction deuterons, α-particles and protons, E. Pollard, H. Margenau—571(L), 640(A), 795(A), 833
Of Na by deuteron bombardment, E. O. Lawrence—17

Dissociation, heat of (see also **Molecular structure and constants**)
Of AsO, F. A. Jenkins, L. A. Strait—136, 257(A); F. Morgan, E. N. Shawhan—192(L), 199(A)

Dynamics
Deduction of inverse square law, J. L. Synge—760
Longitudinal motion of a long coil spring, D. A. Wells—339(A)
Transverse vibrations of long rods, I. A. Balinkin—340(A)

Elasticity
Dispersion in flexural waves in lake ice, M. Ewing, A. P. Crary, E. B. Douglas—797(A)
Elastic constants of the Zn crystal, E. P. T. Tyndall—398
Electrocoupling of vibrating quartz plates, H. Osterberg, J. W. Cookson—781(L)
Linear expansion for stretched rubber bands, M. L. Braun—798(A)
Longitudinal motion of a long coil spring, D. A. Wells—339(A)
Plasticity of crystals, P. Duwez—494
Rubber under uniformly repeated stresses, M. L. Braun—336(A)
Slight impurities and elastic constants of Zn crystals, P. W. Bridgman—393
Transverse vibrations of long rods, I. A. Balinkin—340(A)
Waves in lake ice, A. P. Crary, M. Ewing, E. B. Douglas—797(A)
Young's modulus in rocks by dynamical method, J. Ide—797(A)

Electrical circuits (see **Methods and instruments**)

Electrical conductivity and resistance
Of Bi microcrystals, C. T. Lane—644(A)
Of colloidal solutions, H. Fricke, H. J. Curtis—974(L)
Effect of pressure on the alkalies, N. H. Frank—282
Impedance of muscle, K. S. Cole, E. Bozler—644(A)
Magnetoresistance in Na-K alloy, C. W. Heaps, J. E. Armstrong—336(A); J. E. Armstrong—391
New phenomenon in supraconducting transition of Sn and Ta, F. B. Silsbee, F. G. Brickwedde, R. B. Scott—794(A)

Ohm's law at high current densities, E. Weber—327(A)
Short cold-metal gaps in air, R. E. Fearon—802(A)
Space-charge in electrolytes, W. Schriever—327(A)
Supraconductivity at radiofrequency, R. B. Scott, F. B. Silsbee, F. G. Brickwedde—794(A)

Electromagnetic theory
Application of electrodynamics, J. R. Oppenheimer—44; A. Bramley—321(L)
Born-Infeld theory, E. Feenberg—148; B. Hoffmann—639(A), 804(A), 877
Charge and field fluctuations, J. R. Oppenheimer—144
Classical electromagnetic theory and wave mechanics, L. T. DeVore—333(A), 638(A)
Constancy of the velocity of light, R. J. Kennedy—533
New expansion in radiation problems, W. W. Hansen—139

Electromagnetic waves
Propagation of 50 cm radio waves, P. S. Epstein—258(A)

Electron diffraction (see also **Scattering of electrons**)
Depth of penetration of electrons, H. E. Farnsworth—331(A)
Envelope of Kikuchi lines, K. Shinohara—730
Films of Fe oxides and hydrates, N. Smith—803(A)
Intensity distribution, K. Lark-Horovitz, H. J. Yearian, J. D. Howe—331(A)
Patterns of ZnO and atom factor, H. J. Yearian—200(A)
By thin silica glass films, L. R. Maxwell, V. M. Mosley—330(A)

Electrons (see also **Positive electron**)
Born-Infeld field theory, E. Feenberg—148; B. Hoffmann—639(A), 804(A), 877

Electrons in gases (see also **Discharge of electricity in gases**)
Elastic scattering of electrons in A, Kr and H_2, G. M. Webb—200(A), 379, 384
Velocity distribution of electrons, P. M. Morse, W. P. Allis, E. S. Lamar—806(A)

Electrons in metals
Effect of pressure on electrical conductivities, N. H. Frank—282
Energy bands in metallic Li, J. Millman—286
Free path and thermoelectric effects, L. W. Nordheim—794(A)
Magnetic properties and Fermi-Dirac statistics, S. Freed, H. G. Thode—335(A)
Magnetoresistance in Na-K alloy, C. W. Heaps, J. E. Armstrong—336(A); J. E. Armstrong—391
Thomas-Fermi method applied, J. C. Slater, H. M. Krutter—559; H. M. Krutter—426(A)

Electrons, scattering of (see **Electrons in gases**)

Electrons, secondary
Produced by swiftly moving Hg ions, L. H. Linford—279

Electro-optical effects (see also **Photoelectric effect and properties**)
Kerr effect in NH_3, N_2 and O_2, W. M. Breazeale—789(A)

e/m
Spectroscopic determination, $H^1\alpha$ and $H^2\alpha$ lines, C. D. Shane, F. H. Spedding—33
Triatomic ions of H isotopes, O. Luhr—331(A)

Energy states of atoms (see **Spectra, atomic**)

Equations of state
Liquid state, W. H. Rodebush—513(L)

Errata
Ionization area of He and Bethe's theory, D. L. Webster, W. W. Hansen, F. B. Duveneck—699
Latitude and azimuthal effects, G. Lemaitre, M. S. Vallarta, L. Bouckaert—434
Thermal expansion and the ferromagnetic change in volume of Ni, C. Williams—88

Evaporation
Effect of electrostatic field, E. Hutchisson—328(A)

Excitation of atoms and molecules
Lifetimes in Ne, E. W. Pike—802(A)

Field currents
Overvolted discharges, J. W. Flowers—801(A)
Short cold-metal gaps in air, R. E. Fearon—802(A)

Fine structure (see **Spectra, etc.**; **Hyperfine structure**)

Fluorescence
Induced by x-rays and γ-rays, O. Glasser, I. E. Beasley—570(L), 789(A)
Of I_2, ultraviolet, D. T. Warren—642(A)
Reduction of chlorophyll *a* and *b*, V. M. Albers, H. V. Knorr, P. Rothemund—198(A)
Stepwise fluorescence in Hg, L. A. Turner—807(A)

Hall effect
In Na, K and Cs, F. J. Studer, W. D. Williams—291, 336(A); C. Zener—636(L)

Heat conduction (see also **Thermal conductivity**)
Heat losses from a W wire in He, W. C. Michels, G. White—197(A)
Precision of calorimetric method, W. P. White—797(A)

High voltage tubes and machines
Electrons of high energies, transmission line method, H. Trotter, Jr., J. W. Beams—641(A)
Electrostatic generator with small vertical clearance, W. H. Bennett—791(A)
Radiofrequency high-voltage generator, D. H. Sloan—62
Rotary voltmeter and sphere gap, J. E. Henderson, W. H. Goss, J. E. Rose—259(A)

Hyperfine structure (see also **Nuclear spin**)
Of Be III, S. S. Ballard, O. E. Anderson, H. E. White—256(A)
Of Cd λ2288, A. G. Shenstone—317(L)
Of Cs, R. K. Stranathan, L. P. Granath—801(A)
Formulae for the configuration d^3s, M. F. Crawford—768
In La III, M. F. Crawford, N. S. Grace—536
Of Pb II, J. L. Rose—122
In Na^{23}, L. A. Wills, G. Breit—704(L); W. E. Shoupp, J. H. Bartlett, Jr., C. G. Dunn—705(L)
Of $^2S_{\frac{1}{2}}$ state in K, S. Millman—739
Of Y II lines, P. G. Kruger, C. N. Challacombe—509(L), 798(A)

Instruments (see **Methods and instruments**)

Intensities in spectra (see also **Spectra,** etc.)
In Cr I and Cr II, J. S. V. Allen, C. E. Hesthal—926
Line strengths in intermediate coupling, G. H. Shortley—295, 419(L)
Relative multiplet strengths in a transition array, D. H. Menzel, L. Goldberg—424(L)
Transition probabilities of almost closed shells, C. W. Ufford—330(A), 931
Ionization by electrons
Errata, ionization area of He, D. L. Webster, W. W. Hansen, F. B. Duveneck—699
Ionization by positive ions
Of inert gases, R. N. Varney—255(A), 483
Of Ne and As by Mg^+, J. C. Mouzon, N. H. Smith—802(A)
Ionization potentials
Of H_2S, Cs_2 and SO_2, W. C. Price—788(A)
Of methyl bromide and chloride, W. C. Price—510(L)
Ionization by radiation
Of liquids by x-rays, L. S. Taylor, F. L. Mohler—805(A)
Ions in gases (see also **Electrons in gases**)
Products of ionization in methane, J. A. Hipple, Jr., W. Bleakney—802(A)
Triatomic ions of H isotopes, O. Luhr—331(A)
Isotopes (see also **Nucleus**)
In acetylene, W. F. Colby—388
He^3(?), H. D. Smyth, G. P. Harnwell, W. Bleakney, W. W. Lozier—800(A)
In induced radioactivity, T. R. Wilkins, L. S. Shnidman—251(L)
Of Li abundance ratio, A. K. Brewer—571(L)
Masses of light atoms from transmutation data, H. Bethe—633(L), 795(A)
Of N produced from C by deuteron bombardment, L. N. Ridenour, D. M. Yost, K. Shinohara—253(A)
Of O, W. Bleakney, J. A. Hipple, Jr.—800(A)
Relative abundance, I. I. Rabi—334(A)
Shift in Mg I spectra, R. F. Bacher, R. A. Sawyer—587
Shifts in spectra of diatomic molecules, G. H. Dieke—661

Liquids
Ionization by x-rays, L. S. Taylor, F. L. Mohler—805(A)
Liquid state, W. H. Rodebush—513(L)
Nature of liquids, G. W. Stewart—201(A)
Space-charge in electrolytes, W. Schriever—327(A)
Structure of methyl alcohol, W. H. Zachariasen—201(A)
Low temperature phenomena
Liquefaction of gases—a demonstration, C. T. Knipp—200(A)
Thermodynamic scale region below 1°K, W. F. Giauque, D. P. MacDougall—885(L)
Luminescence
Of frozen solutions of dyes, F. G. Wick, C. G. Throop—329(A)

Magnetic properties
Directions of discontinuous changes in Si-Fe, R. F. Clash, Jr., F. J. Beck, Jr.—158
Erratum, ferromagnetic change in volume of Ni, C. Williams—88
Of Gd and Au at low temperature, W. F. Giauque, D. P. MacDougall—885(L)
Photomagnetic effect, R. M. Emberson, R. T. Dufford—202(A)
Thermal e.m.f. and magnetization, F. W. Constant—794(A)
Thermal energy in magnetization of Ni, A. Townsend—306, 335(A)
Magneto-optical effects
Magneto-optic method of analysis, T. R. Ball—548; M. A. Jeppesen, R. M. Bell—546; H. G. McPherson—254(A), 310
Photography of minima in magneto-optic apparatus, G. Hughes, R. Goslin—317(L)
Time lags in magneto-optics, H. W. Farwell, J. B. Hawkes—78
Mass spectrograph (see also **Methods and instruments**)
Masses of light atoms from transmutation data, H. Bethe—633(L), 795(A)
Modified Aston-type mass spectrometer, preliminary results, D. D. Taylor—666
New ion source for mass-spectroscopy, A. J. Dempster—331(A)
Products of ionization in methane, J. A. Hipple, Jr., W. Bleakney—802(A)
Proposed mass-spectrograph, W. B. Pietenpol—331(A)
Triatomic ions of H isotopes, O. Luhr—331(A)
Mechanics, quantum-atomic structure and spectra
Excited states of He wave functions, W. S. Wilson, R. B. Lindsay—638(A), 681
Hylleraas method applied to Li, H. M. James, A. S. Coolidge—700(L)
Normal He atom, J. H. Bartlett, Jr., J. J. Gibbons, Jr., C. G. Dunn—679, 804(A)
Rare gas configurations, C. L. Bartberger—803(A)
Relative transition probabilities, C. W. Ufford—931
Mechanics, quantum-general
Charge and field fluctuations, J. R. Oppenheimer—144
Classical electromagnetic theory and wave mechanics, L. T. DeVore—333(A), 638(A)
Double layers in adsorbed films, R. W. Gurney—479
Energy levels of asymmetrical rotator, E. E. Witmer—340(A)
Inelastic atomic collisions, O. K. Rice—426(A)
Metallic reflection, L. I. Schiff, L. H. Thomas—790(A), 860
Quantum-mechanical description of reality, A. Einstein, B. Podolsky, N. Rosen—777, E. C. Kemble—973(L)
Reduction of space groups, F. Seitz—810(A)
Scattering by protons, E. Feenberg—857
Scattering of x-rays and discrete electrons, A. H. Compton—203(A), 367
Symmetry properties and identity of particles, E. E. Witmer, J. P. Vinti—538
Theory of the W. B. K. method, E. C. Kemble—426(A)
Mechanics, quantum-molecular structure and spectra
Binding energies of H and He isotopes, E. Feenberg—809(A), 850
Classification of perturbations, G. H. Dieke—870
Forces between bound atoms, W. Altar—804(A)

Isotopic shifts in diatomic molecules, G. H. Dieke—661
LiH molecule, J. K. Knipp—339(A)
Modification of Heitler and London method, C. Zener—334(A)
Rotating axes and polyatomic molecules, C. Eckart—552
Rotational energy of polyatomic molecules, J. H. Van Vleck—487
Van der Waals interaction of H atoms, L. Pauling, J. Y. Beach—686

Mechanics, statistical
Thermal equilibrium of elementary particles, G. Wataghin—423(L)
Virial theorem and quantum statistics, R. J. Duffin—421(L)

Metals (see **Crystalline state; Electrons in metals**)

Metastable atoms and molecules
In a gaseous discharge, R. W. Smith, O. S. Duffendack—473

Meteorology
Annual and diurnal variations of ions, A. P. Gagge—786(A)
Diurnal variation of the earth's potential gradient, J. G. Brown—259(A)
Electricity of rain and thunderstorms, R. Gunn—786(A)
Height of F region in ionosphere, E. B. Judson—509(L)
Ionization balance near earth's surface, G. R. Wait—810(A)
Ionosphere during partial solar eclipse, S. S. Kirby, T. R. Gilliland, E. B. Judson—632(L)
Langevin ions and dust particles, G. R. Wait—786(A)
Mechanism of lightning discharges, A. M. Cravath, L. B. Loeb—259(A)
Recording of ionosphere echoes, P. B. King, Jr., H. R. Mimno—786(A)
Seasonal variation of ionization in ionosphere, E. V. Appleton—704(L)
Small-ion production near earth's surface, A. G. McNish, G. R. Wait—785(A)
Upper-atmospheric ionization, E. V. Appleton—89(L); E. O. Hulburt—422(L)

Methods and instruments
Alternating-current potentiometer, W. C. Michels, B. Raines—793(A)
Amplifier for thermocouple e.m.f., R. P. Johnson, M. E. Bell, W. B. Nottingham—426(A)
Anomalous intensity distribution by diffraction gratings, R. W. Wood—642(A)
Apparatus for transmitting data from stratosphere, J. M. Benade, R. L. Doan—198(A)
Balanced circuit for resistance thermometers, M. G. Jacobson—336(A)
Broadcast carriers for constant high frequency currents, H. L. Schultz, L. G. Hector—327(A)
Characteristics of G-M tubes, J. F. Sears, G. E. Read—197(A)
Christiansen light filters, temperature effects, E. D. McAlister—328(A)
Continuous spectrum source in ultraviolet, H. P. Knauss, A. L. Bryan—842
Detection of minute quantities of Th, R. D. Evans, G. D. Finney, A. F. Kip, R. Mugele—791(A)
Determination of Ca in plant ashes, K. Way, J. M. Arthur—198(A)
Determination of interatomic distances in crystals, A. L. Patterson—330(A)
Diffraction gratings for far infrared, A. H. Pfund, J. A. Sanderson—792(A)
Foucault pendulum with constant amplitude, R. M. Langer—258(A)
γ-ray sensitivity of tube-counters, R. D. Evans, R. A. Mugele—427(A)
G-M counter for x-rays, D. P. LeGalley—333(A)
G-M counters, construction and use, G. L. Locher—326(A)
G-M counters, different gases, C. L. Haines—791(A)
Glow discharge oscillator, W. E. Kock—339(A)
Heat-flow calorimetric method, W. P. White—797(A)
High rotational speeds in vacuum, E. G. Pickels, J. W. Beams—336(A)
High speed electrical motors, R. C. Colwell, N. I. Hall—337(A)
High speed oil diffusion pump, H. W. Edwards—259(A)
Ion condensation in cloud chambers, D. H. Loughridge—792(A)
Ion source, capillary, E. S. Lamar, E. W. Samson—791(A)
Ion source, hollow cathode, P. G. Kruger, B. T. Darling—790(A)
Ion source for mass-spectroscopy, A. J. Dempster—331(A)
Liquefaction of gases—a demonstration, C. T. Knipp—200(A)
Mobile radio laboratory, H. Selvidge, H. R. Mimno—786(A)
Modified Aston-type mass spectrometer, D. D. Taylor—666
New expansion in radiation problems, W. W. Hansen—139
Null method photoelectric photometer, H. W. Edwards, 258(A)
Optical properties of MgO, R. T. Brice, J. Strong—255(A)
Pendulum driven by electrostatic forces, J. A. Van den Akker—199(A)
Polarization effects in Hilger E1 spectrograph, J. W. Ellis, J. Kaplan—255(A)
Powder filters for the infrared, R. B. Barnes, R. R. Brattain, R. S. Firestone—792(A)
Precision magnetic field standard, F. G. Dunnington—257(A)
Propagation of explosion condensation through air, L. Thompson—811(A)
Proportional counter, E. Pollard, W. W. Eaton—597, 640(A)
Proposed mass-spectrograph, W. B. Pietenpol—331(A)
Radiofrequency high-voltage generator, D. H. Sloan—62
Radio transmitter for short waves, R. King—787(A)
Recording of ionosphere echoes, P. B. King, Jr., H. R. Mimno—786(A)

Reduction of chlorophyll *a* and *b*, fluorescence spectra, V. M. Albers, H. V. Knorr, P. Rothemund—198(A)
Rotary voltmeter and sphere gap, comparison, J. E. Henderson, W. H. Goss, J. E. Rose—259(A)
Separation of Po and Ra D, G. B. Pegram, J. R. Dunning—325(A)
Shoal fathometer, H. G. Dorsey—344(A)
Small unidirectional currents, G. Failla—805(A); G. J. Mueller—793(A)
Solarization at low intensity, A. J. Reardon, H. P. Griggs—199(A)
Sound ingots, technique for making, P. G. Waldo, W. P. Davey—338(A)
Standing wave system in a flute, R. W. Young, D. H. Loughridge—258(A)
Testing of Na-filled valves, electrical method, W. R. Koch—326(A)
Thermionic tubes for voltage control, C. R. Larkin—793(A)
Thin metallic films, J. D. Howe, E. M. Purcell—329(A)
Tube coefficients, measurement of, R. W. Hickman, F. V. Hunt—787(A)
Tube counter, efficiency, S. M. Skinner—791(A)
Two-crystal spectrometer for ultra-short x-rays, T. R. Cuykendall, M. T. Jones—643(A)
Vacuum centrifuge, E. G. Pickels—797(A)
Wide aperture quartz spectrograph, S. Smith—257(A)
Wilson cloud chamber, high pressure, W. M. Brubaker, T. W. Bonner—255(A)
Wilson cloud tracks, method of measurement, W. W. Eaton—796(A)
Window to admit deuteron beam, E. McMillan, M. S. Livingston—452
X-ray diffraction and fatigue of metals, C. S. Barrett—333(A)

Molecular structure and constants (see also **Spectra, molecular and Raman spectra**)
C−D bond vibration in heavy acetylene, G. Glockler, C. E. Morrell—569(L)
Of deutero-ammonias, E. F. Barker, M. Migeotte—702(L)
Forces between bound atoms, W. Altar—804(A)
Of H I, A. H. Nielsen, H. H. Nielsen—585
Of H^3CN, P. F. Bartunek, E. F. Barker—330(A)
Of H_2S, P. C. Cross—7
Isotope effect in acetylene, W. F. Colby—388
Of the LiH molecule, J. K. Knipp—339(A)
Of MgCl, CaCl and SrCl, A. E. Parker—349, 642(A)
Of methyl iodide and other molecules, R. S. Mulliken—413
Orbital valency; extended method, G. Nordheim—803(A)
Raman spectra and latent heat of fusion, C. J. Phillips—792(A)
Rotating axes and polyatomic molecules, C. Eckart—552
Rotational energy of polyatomic molecules, J. H. Van Vleck—487
Of silane, W. B. Steward, H. H. Nielsen—792(A), 828
Transfer of translational and vibrational energy in O_2, V. O. Knudsen, L. Obert—256(A)

Neutrons (see also **Nucleus**)
Absorption of slow neutrons, G. Beck, L. H. Horsley—510(L); J. R. Dunning, G. B. Pegram—640(A); J. R. Dunning, G. B. Pegram, G. A. Fink, D. P. Mitchell—416(L), 888(L), 970(L); W. F. Libby, W. M. Latimer—193(L)
Absorption and velocity of slow neutrons, temperature effect, J. R. Dunning, G. B. Pegram, G. A. Fink, D. P. Mitchell—796(A)
Action on heavy water, W. F. Libby, E. A. Long, W. M. Latimer—424(L)
Capture and scattering, H. A. Bethe—640(A)
Effects in photographic emulsion, D. W. Mueller, H. A. Barton—796(A)
Interaction with protons, L. H. Thomas—810(A), 903
Scattering by Cu and Fe, A. C. G. Mitchell, E. J. Murphy—812(A), 881(L)
Scattering by protons, E. Feenberg—857; W. D. Harkins, D. M. Gans, M. Kamen, H. W. Newson—511(L)
Thermal equilibrium of slow neutrons, J. R. Dunning, G. B. Pegram, D. P. Mitchell, G. A. Fink—888(L)

Nuclear moments and spin (see also **Hyperfine structure**)
Calculated values, D. R. Inglis—84
Of Co, K. R. More—256(A)
Of the deuteron and other nuclei, D. R. Inglis—334(A)
In isotopic mixtures, I. I. Rabi—334(A)
Of La, M. F. Crawford, N. S. Grace—536
Of Li^7, M. Fox, S. Millman, I. I. Rabi—801(A)
Of P_2, F. A. Jenkins—783(L)
Of K, S. Millman—739
Of K^{39}, J. J. Gibbons, J. H. Bartlett—340(A), 692
Of K^{41}, S. Millman, M. Fox, I. I. Rabi—801(A)
Of Na^{23}, W. E. Shoupp, J. H. Bartlett, Jr., C. G. Dunn—705(L); L. A. Wills, G. Breit—704(L)
Sign of nuclear magnetic moments, use of atomic beams, I. I. Rabi—338(A)
States and moments, D. R. Inglis—813(A)

Nucleus (see also **Disintegration of nucleus**)
Angular and magnetic momenta of nuclei, P. G. Kruger—605
Binding energies of H and He isotopes, E. Feenberg—809(A), 850
Capture, stability and radioactive emission of neutrons, J. R. Dunning, G. B. Pegram, G. A. Fink—325(A)
Disintegration of deuterons by impact, J. R. Oppenheimer—845
Energy levels of light nuclei, G. Beck—809(A)
Formation of electron pairs by internal conversion of γ-radiation, M. E. Rose, G. E. Uhlenbeck—811(A)
γ-rays from B bombarded with deuterons, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—253(A)
He in beryls, H. J. Walke—969(L)
Interaction of nuclear particles, L. A. Young—809(A), 972(L)
Interaction between neutron and proton, L. H. Thomas—810(A), 903
Masses of Be^8, Be^9 and B^{11}, H. R. Crane, C. C. Lauritsen—420(L)

Masses of light atoms from transmutation data, H. Bethe—633(L), 795(A)
Metastable nuclei produced by the hard γ-rays, L. Devol—325(A)
Model, forces between particles, W. V. Houston—260(A), 819(A), 942
Negative proton, E. C. Westerfield, W. B. Pietenpol—325(A)
Neutrons from Be bombarded by deuterons, J. R. Richardson, F. N. D. Kurie—253(A); T. W. Bonner, W. M. Brubaker—254(A)
Nuclear chemistry, D. M. Gans, W. D. Harkins—795(A)
Potential barriers, E. Pollard—611, 640(A)
Radius, A. K. Solomon—249(L)
Reactions classified, W. D. Harkins—702(L)
Scattering of α-particles in deuterium, E. Pollard, H. Margenau—571(L), 640(A), 795(A), 833
Structure of H^3, L. H. Thomas—903
Theory of disintegration, H. A. Bethe—747

Optical constants and properties
Anomalous intensity distribution by diffraction gratings, R. W. Wood—642(A)
Index of refraction of H_2O and paraffin; 10 cm waves, L. S. Skaggs, R. T. Dufford—201(A)
Of LiF in Schumann region, E. G. Schneider—789(A)
Molar polarization of N_2 and A, C. E. Bennett—790(A)
Pressure effect on refractive index of CS_2, F. E. Poindexter—202(A)
Of sputtered metal films, J. B. Nathanson, H. S. Seifert—328(A)
Optical instruments (see **Methods and instruments**)
Optical theory
Energy and angular momentum, R. d'E. Atkinson—623, 639(A)
Huygen's principle and the Lorentz hypothesis, N. Galli-Shohat—639(A)
Quantum theory of metallic reflection, L. I. Schiff, L. H. Thomas—790(A), 860
Theory of Michelson-Morley experiment, R. J. Kennedy—965
Velocity of light a function of time, P. I. Wold—333(A), 735

Philosophy of physics
Quantum-mechanical description of reality, A. Einstein, B. Podolsky, N. Rosen—777, E. C. Kemble—973(L)
Photoconductivity
In red mercuric iodide, F. C. Nix—72, 337(A)
Photoelasticity
Theory of, H. Mueller—790(A), 947
Photoelectric effect and properties; cells
Of a Cu single crystal, N. Underwood—502
Energies of x-ray photoelectrons, L. Alvarez—636(L)
Of K films on Ag, J. J. Brady—197(A)
Selective effect, theories of, C. Zener—15
And spark mechanism, A. M. Cravath—254(A)
Threshold of Ur, Ca and Th, action of O_2, H. C. Rentschler, D. E. Henry—807(A)
Work function of Ta, A. B. Cardwell—628

Photography
Effect of neutrons, D. W. Mueller, H. A. Barton—796(A)
Solarization at low intensity, A. J. Reardon, H. P. Griggs—199(A)
Photometry
Null method photoelectric photometer, H. W. Edwards—258(A)
Photovoltaic effect
Current-voltage relations, L. A. Wood—337(A)
Nature of barrier plane, J. W. Ballard, E. D. Wilson—794(A)
And photomagnetic effect, R. M. Emberson, R. T. Dufford—202(A)
Temperature effects, Se-mono-crystal Pt film combination, R. M. Holmes, L. C. Whitman—337(A)
Piezoelectric effect
Electrocoupling of vibrating quartz plates, H. Osterberg, J. W. Cookson—781(L)
X-ray extinction in crystals, G. W. Fox, W. A. Fraser—200(A)
X-ray extinction in oscillating crystals, G. W. Fox, W. A. Fraser—899
Positive electron
Production of pairs by charged particles, J. R. Oppenheimer—146

Quantum mechanics (see **Mechanics, quantum,** etc.)
Quenching of radiation
Of Cd resonance radiation, H. C. Lipson, A. C. G. Mitchell—638(A), 807(A)

Radio
Mobile radio laboratory, H. Selvidge, H. R. Mimno—786(A)
Seasonal variation of ionization in ionosphere, E. V. Appleton—704(L)
Transmitter for short waves, R. King—787(A)
Radioactivity (see also **Disintegration of nucleus**)
Analysis of data, C. N. Warfield—796(A); C. N. Warfield, A. E. Ruark—700(L)
β-ray disintegration, Fermi theory, R. L. Dolecek—202(A); E. J. Konopinski, G. E. Uhlenbeck—202(A)
β-ray and positron energies, induced radioactivity, F. N. D. Kurie, J. R. Richardson, H. C. Paxton—796(A)
Detection of minute quantities of Th, R. D. Evans, G. D. Finney, A. F. Kip, R. Mugele—791(A)
Diffusion of radioactive atoms, J. A. Gray, W. M. Barrows, Jr.—813(A)
Element produced from C by deuteron bombardment, L. N. Ridenour, D. M. Yost, K. Shinohara—253(A)
Emission of neutrons, J. R. Dunning, G. B. Pegram, G. A. Fink—325(A)
γ-rays from B bombarded with deuterons, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—253(A)
Half-lives of K, Rb, Nd and Sm, A. E. Ruark, K. H. Fussler—790(A)
Induced in C by H^1 and D^2, L. R. Hafstad, M. A. Tuve—506(L)

Induced by cosmic radiation, L. W. Alvarez—320(L); J. E. I. Cairns—194(L), 631(L)
Induced by neutron bombardment, A. V. Grosse, M. S. Agruss—91(L), 93(L); W. F. Libby, W. M. Latimer—193(L)
Induced in N by deuteron bombardment, E. McMillan, M. S. Livingston—452
Isotopes in induced radioactivity, T. R. Wilkins, L. S. Shnidman—251(L)
Of Li and F bombarded with deuterons, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—971(L)
Metastable nuclei produced by the hard γ-rays, L. Devol—325(A)
Neutrino hypothesis, continuous β-rays, G. Beck—202(A)
Protons from Sm, J. A. Bearden, W. R. Kanne—639(A)
Radiative capture of protons, G. Breit, F. L. Yost—508(L); L. R. Hafstad, M. A. Tuve—506(L)
Of Na, induced by deuteron bombardment, E. O. Lawrence—17
Th content of rocks, R. D. Evans, R. A. Mugele—427(A)
X-ray levels, applications to β and γ-ray spectra, A. E. Ruark, F. A. Maxfield—107

Raman spectra
Asymmetry of the C atom, R. T. Dufford—199(A)
Of C_2D_2, G. Glockler, C. E. Morrell—569(L)
Of heavy chloroform, R. W. Wood, D. H. Rank—792(A)
Latent heat of fusion, C. J. Phillips—792(A)
Of $MgSO_4$, E. M. Coon, E. R. Laird—889(L)
Of N_3^-, NCS^- and CO_2, A. Langseth, J. R. Nielsen—198(A)
Vibrational scattering in liquids, S. Bhagavantam, A. V. Rao—921
Of H_2O vapor, D. Bender—252(L)

Relativity
Constancy of the velocity of light, R. J. Kennedy—533
Deduction of inverse square law, J. L. Synge—760
Discussion of the ether drift experiments, W. B. Cartmel—333(A)
Huygen's principle and the Lorentz hypothesis, N. Galli-Shohat—639(A)
Redward shift of nebulae lines, P. I. Wold—217
Theory of Michelson-Morley experiment, R. J. Kennedy—965
Velocity of light a function of time, P. I. Wold—333(A), 735

Resistance, electrical (see **Electrical conductivity and resistance**)

Scattering of electrons, ions and molecules (see also **Electrons in gases; Electron diffraction**)
Of alkali atoms in gases, S. Rosin, I. I. Rabi—645(A); S. Rosin—798(A)
In A, Kr and H_2, G. M. Webb—200(A), 379, 384
Collision of H and He ions in A, E. B. Jordain—467
Fast electrons in Hg vapor, W. E. Stephens—255(A)
Resonance interaction deuterons, α-particles and protons, E. Pollard, H. Margenau—571(L), 640(A)
Scattering of protons on protons, W. H. Wells—591

Secondary electrons (see **Electrons, secondary**)

Spark discharge
Ion distribution during initial stages, C. D. Bradley, L. B. Snoddy—541; C. D. Bradley—802(A)
Oscillographic study, J. W. Flowers—801(A)
Photoelectric effect, A. M. Cravath—254(A)

Specific heat
Equations of state for substances with variable specific heat, W. P. Boynton—258(A)

Spectra, absorption (see also **Absorption of light**)
Of acetic acid and acetic anhydride, infrared, E. K. Plyler, E. S. Barr—793(A)
Of acetylene, ethylene and ethane, far ultraviolet, W. C. Price—444
Of acetylenes, infrared, C. A. Bradley, Jr., A. McKellar—793(A)
Of NH_3, ultraviolet, A. B. F. Duncan—822
Of NH_3 and ND_3, ultraviolet, A. B. F. Duncan—822, 886(L)
Of benzene far infrared, R. B. Barnes, W. S. Benedict, C. M. Lewis—129
Of C_2H_2 and C_2D_2, infrared, C. A. Bradley, Jr., A. McKellar—914
Of deutero-ammonias, ultraviolet, W. S. Benedict—641(A)
Of diacetylene, ultraviolet, S. Woo. T. C. Chu—886(L)
Of GeH_4, infrared, W. B. Steward, H. H. Nielsen—792(A), 828
Of HI, infrared, A. H. Nielsen, H. H. Nielsen—585
Of H_2, to 738A, J. J. Hopfield—788(A)
Of H_2S at 10,100A, P. C. Cross—7
Of H_2S, CS_2 and SO_2, ultraviolet, W. C. Price—788(A)
Of I vapor, ultraviolet, D. T. Warren—1
Of PbO and AsO, E. N. Shawhan, F. Morgan—192(L), 199(A), 377
Of LiD, F. H. Crawford, T. Jorgensen, Jr.—358
Of LiH, F. H. Crawford, T. Jorgensen, Jr.—932
Of Li_2, ultraviolet, J. E. Vance, J. R. Huffman—215
Of MgO, R. R. Brattain, R. B. Barnes, F. Seitz—793(A)
Of MgO, near infrared, R. B. Barnes, R. R. Brattain—416(L)
Methane content of giant planet atmospheres, A. Adel, V. M. Slipher—787(A)
Of methyl bromide and chloride; ionization potentials, W. C. Price—510(L)
Of methyl deuteride, N. Ginsburg, E. F. Barker—641(A)
Of methyl iodide, W. C. Price—419(L)
Of OH, A. A. Frost, O. Oldenberg—788(A)
Of rare earths, F. W. Paul—799(A)
Of silane, W. B. Steward, H. H. Nielsen—828
Of SO_2, temperature variation, J. H. Clements—224
Sunlight absorbed by atmosphere, A. Adel, V. M. Slipher, E. F. Barker—251(L), 580
Of uranine solution under high pressure, W. J. Lyons—198(A)

Spectra, atomic
Of Al vapor in high vacuum, J. Strong, E. Gaviola—256(A)
Of A and Kr extreme ultraviolet, J. C. Boyce—799(A)
Of C III, B I and O IV perturbed series, N. G. Whitelaw, J. E. Mack—677

Of Co, deep configuration, H. H. Marvin—521
In Cr I and Cr II, intensity relations, J. S. V. Allen, C. E. Hesthal—926
Excited states of He, W. S. Wilson, R. B. Lindsay—638(A), 681
Fine and hyperfine structure of Be III, S. S. Ballard, O. E. Anderson, H. E. White—256(A)
Fine structure of $H\alpha$, F. H. Spedding, C. D. Shane, N. S. Grace—38
Of He, band at 600A, J. L. Nickerson—707
Of He, high frequency excitation, M. Peterson, H. Carl—803(A)
Hyperfine structure formulae, M. F. Crawford—768
Isoelectronic sequence Cl I to Mn IX, S. G. Weissberg, P. G. Kruger—798(A)
Of Kr, extreme ultraviolet, J. C. Boyce—718
Of Kr III, C. J. Humphreys—712, 799(A)
Of Pb II, L. T. Earls, R. A. Sawyer—115
Of Pb IV and Bi V, G. K. Schoepfle—232, 330(A)
Line strengths in intermediate coupling, G. H. Shortley—295, 419(L)
Of Mg I, isotope shift, R. F. Bacher, R. A. Sawyer—587
Of Mn V and Fe VI, low terms, I. S. Bowen—924
Of P II, P III, P IV, H. A. Robinson—799(A)
Rare gas configurations, calculations, C. L. Bartberger—803(A)
Relative transition probabilities, C. W. Ufford—330(A), 931
Of Sm, A. S. King—256(A)
Of Sm I and Gd I. Configuration of rare earths, W. Albertson—370
Of Ag II, higher terms, W. P. Gilbert—847
Of Ag III, W. P. Gilbert—803(A)
Of Tl II, C. Ellis, R. A. Sawyer—799(A)

Spectra, general

Difference bands in spectra of major planets, temperature of planets, A. Adel, V. M. Slipher—651
Exploded Hg stream, H. P. Knauss, A. L. Bryan—842

Spectra, molecular (see also **Molecular structure and constants**)

Alternating intensities in P_2, F. A. Jenkins—783(L)
Of NH_3 and ND_3; pure rotation, R. B. Barnes—658
Difference bands in spectra of major planets, temperature of planets, A. Adel, V. M. Slipher—651
Of AsO, F. A. Jenkins, L. A. Strait—136, 257(A); F. Morgan, E. N. Shawhan—192(L), 199(A)
Of As_3, G. M. Almy, G. D. Kinzer—199(A)
Of As_2, emission, G. M. Almy, G. D. Kinzer—721
Band system of TiCl, A. E. Parker, A. H. Parker—812(A)
Band systems in N_2, J. Kaplan—255(A), 259(A)
Of BaH at 10,000A, W. W. Watson—213
Of BF, R. B. Dull—458
Of BF, H. M. Strong, H. P. Knauss—642(A)
Of BeD^+, P. G. Koontz—641(A)
Of CaH and CaD, W. W. Watson—27
Of CD, A. McKellar, C. A. Bradley, Jr.—787(A)
Classification of perturbations, G. H. Dieke—870
Of deutero-ammonias, E. F. Barker, M. Migeotte—702(L)
Of HD and D_2, Fulcher bands, G. H. Dieke, R. W. Blue—261
Of H^3CN at 17.5μ, P. F. Bartunek, E. F. Barker—330(A)
Of H_2O for infrared, R. B. Barnes, W. S. Benedict, C. M. Lewis—918
Intensity formulas for $^2\Sigma^+ - ^2\Sigma^-$ transitions, R. D. Present, J. H. Van Vleck—788(A)
Interaction between vibration and rotation, D. M. Dennison, M. Johnston—93(L)
Isotopic shifts, G. H. Dieke—661
Light of the night sky, J. Kaplan—193(L)
Of LiH, F. H. Crawford, T. Jorgensen, Jr.—932
Of MgCl, CaCl and SrCl analysis, A. E. Parker—349, 642(A)
Of OH^+, F. W. Loomis, W. H. Brandt—199(A)
Periodicity of Morse's function, C. H. D. Clark—238
Rotational energy of polyatomic molecules, J. H. Van Vleck—487
Of SiF, high dispersion, R. M. Badger, C. M. Blair, Jr.—881(L)
Of S_2, A. Christy—251(L)
Temperature variation in molecular spectra, J. H. Clements—220
Transfer of rotational energy, F. F. Rieke—788(A)
Vibrations of symmetrical tetratomic molecules, J. E. Rosenthal—235

Spectroscopy, technique, standards

Continuous spectrum source in ultraviolet, H. P. Knauss, A. L. Bryan—842
Determination of Ca in plant ashes, K. Way, J. M. Arthur—198(A)
Fe and Nd standards, G. R. Harrison, W. W. Bartlett—799(A)
Temperature variation in molecular spectra, J. H. Clements—220
Wavelength standards for the extreme ultraviolet, J. C. Boyce, C. A. Rieke—653

Sputtering

Of Th and Ba from W, L. R. Koller—806(A)

Stark effect

Anomalous intensities; interpretation, J. S. Foster—329(A)
In H isotopes, J. S. Foster, A. H. Snell—338(A)

Supraconductivity (see **Electrical conductivity and resistance**)

Surface phenomena

Pressures and potentials of monomolecular films, hydroxy-decanoic acid polymers, W. D. Harkins, E. F. Carman, H. E. Ries, Jr.—797(A)
Surface tension of Hg, M. Kernaghan—202(A)

Thermal conductivity

Heat-flow calorimetric method, W. P. White—797(A)

Thermal expansion

Erratum, thermal expansion of Ni, C. Williams—88
Of Cu from 0°K to melting, W. J. Haring, W. P. Davey—337(A)

Thermal radiation

Color temperature scale, W. E. Forsythe—789(A)

Thermionic emission of electrons; Emitting surfaces
Applied field and thermionic constants for thoriated W. A. Rose—806(A)
Double layers in adsorbed films; Ca, Sr and Ba, R. W. Gurney—479
Field emission and work function of Hg, L. R. Quarles—328(A)
Heat-treated W filaments, R. P. Bien—806(A)
Properties of Ta, A. B. Cardwell—628
W in weak acceleration fields, W. B. Nottingham—806(A)
Work function of Ba, P. A. Anderson—958
Work function for composite surfaces, temperature coefficient, A. Rose—889(L)
Thermodynamics
Equations of state and thermodynamic functions, W. P. Boynton—258(A)
Liquid state, W. H. Rodebush—513(L)
Thermoelectric effects
Thermal e.m.f. and magnetization, F. W. Constant—794(A)
Transmutation phenomena (see **Disintegration of nucleus**)

Vacuum tubes
Space charge in double and triple grid tubes, E. W. Thatcher—327(A)
Van der Waals forces
Interaction of H atoms, L. Pauling, J. Y. Beach—686
Vaporization (see **Evaporation**)
Viscosity
Of D_2O, H. C. Torrey—644(A)
And molecular complexity, E. C. Bingham, C. E. Coombs—645(A)

Work function (see **Thermionic emission of electrons; Photoelectric effect**)

X-rays, absorption
Ionization of liquids by x-rays, L. S. Taylor, F. L. Mohler—805(A)
Ultraviolet fluorescence induced by x-rays and γ-rays, O. Glasser, I. E. Beasley—570(L), 789(A)
X-rays, diffraction, scattering, reflection, refraction and polarization
Diffraction pattern of liquid and solid glycerine films, K. Lark-Horovitz and E. P. Miller—813(A)
Diffuse scattering from crystals, G. E. M. Jauncey—201(A); G. E. M. Jauncey, J. H. Deming—804(A)
Incoherent scattering and discrete electrons, A. H. Compton—203(A), 367
Prins' formula, simplification, F. Miller, Jr.—201(A), 209
In range 50 X.U. to 200 X.U., M. T. Jones, T. R. Cuykendall—643(A)
Refraction of Cu $K\beta$ line by diamond, J. A. Bearden—811(A)
Scattering from fluids containing polyatomic molecules, W. H. Zachariasen—277
Scattering by gases, E. O. Wollan—201(A)
Structure of methyl alcohol from x-ray diffraction patterns, W. H. Zachariasen—201(A)
Temperature function of reflection from crystals, R. B. Jacobs, A. Goetz—94(L), 257(A)

X-rays, emission (see also **X-rays, spectra and spectroscopy,** etc.)
Chemical combination and spectra, J. Valasek—332(A), 896
Energy level widths of Au(79), E. Ramberg, F. K. Richtmyer—644(A)
Intensity measurements with a G–M counter, D. P. LeGalley—333(A)
Levels of radioactive elements, β and γ-ray spectra, A. E. Ruark, F. A. Maxfield—107
Line widths: finite resolving power of crystals, L. G. Parratt, L. P. Smith—805(A)
M-series of protactinium 91, W. C. Pierce, A. V. Grosse—532
New lines in K series of W, J. C. Hudson, H. G. Vogt—809(A)
New type of Auger effect, Coster-Kronig theory of satellites, F. R. Hirsh, Jr., F. K. Richtmyer—805(A)
Origin of L-satellites, E. Ramberg, F. K. Richtmyer—805(A)
Radiative Auger effect, F. Bloch, P. A. Ross—884(L)
Shapes and wavelengths of K series Ti to Ge, C. H. Shaw, J. A. Bearden—332(A)
Target temperature on wavelength, P. McCorkle, C. B. Bazzoni—804(A)
By very fast electrons, E. McMillan—801(A)
Width of the $K\alpha$-lines, H. Margenau—89(L)
Width of the Kr $K\alpha$-lines, E. Wilhelmy—322(L)
X-rays, spectra and spectroscopy, wavelength measurements (see also **X-rays, emission**)
Grating and crystal wavelengths, R. T. Birge, E. McMillan—320(L)
Line shapes and double crystal spectrometer, L. P. Smith—333(A)
Wavelength measurements, L. Alvarez—636(L); J. A. Bearden—645(A), 804(A), 883(L); L. G. Parratt—882(L); A. E. Ruark—316(L), 644(A)
X-rays, tubes, apparatus
Two-crystal spectrometer for ultra-short x-rays, T. R. Cuykendall, M. T. Jones—643(A)

Zeeman effect
In As I, As II and As III, J. B. Green, W. M. Barrows, Jr.—131
In Co I, F. L. Roth, P. F. Bartunek—526
Diatomic molecular states having L-uncoupling, J. K. Knipp—672, 803(A)